



 **duka**  
Shower enclosures

June 2023

# Dukaversum

a universe of possibilities



## Step into the world of Duka

We consider ourselves as an interface between architecture, design and technology and set new impulses. Duka offers exclusive shower enclosures in a timeless elegant design language. Our slogan "The shower enclosure" forms the core of our corporate attitude: every Duka is unique and specially adapted to your wishes and requirements. High-quality raw materials combined with innovative technology and exceptional design are the hallmarks of our products. With great enthusiasm, we develop shower enclosures that represent the combination of comfort and versatility, lightness and resistance, luxury and lifestyle. That's why you don't just get an everyday object from us, but **The Shower Enclosure.**





# Contents

5000	page 16	<b>acqua 5000</b>
	page 36	<b>pura 5000</b>

4000	page 70	<b>princess 4000</b>
	page 80	<b>multi-S 4000</b>
	page 106	<b>natura 4000</b>

3000	page 140	<b>gallery 3000</b>
	page 174	<b>dukessa 3000</b>

2000	page 186	<b>vela 2000</b>
	page 198	<b>stila 2000</b>
	page 218	<b>prima 2000</b>

Walk In	page 232	<b>libero 5000</b>
	page 254	<b>libero 4000</b>
	page 274	<b>libero 3000</b>

	page 284	<b>Bath-tub solutions</b>
--	----------	---------------------------

Information &	page 300	<b>Wide range of solutions</b>
technology	page 302	<b>The highlights</b>
	page 306	<b>Overview glasses and profiles</b>
	page 314	<b>Service</b>







## South Tyrolean roots

We are a South Tyrolean company with strong ties to the tradition and way of life of this land. The geographical position between north and south has shaped our values: Reliability, quality consciousness and willingness to perform combined with creativity, flexibility and sustainability. In 1979 we started as a one-man company in a garage in South Tyrol. Today we are a family business with more than 300 employees. Thanks to quality, ease of assembly and individual solutions, we have been able to steadily expand our production and win new markets.

## We care about tomorrow

For Duka, sustainable production and respect for the environment go hand in hand. We focus on quality as well as sustainable economic and working methods along the entire supply chain. That is why we source our materials from the nearest area, manufacture our products in South Tyrol and ensure that we use our resources responsibly.

**Duka - a company with character.**

A company from  
**südtirol**









## Duka Design

We have always placed great emphasis on the development and realisation of shower enclosures for every need and taste. This ambition has not gone unnoticed. As a result, our products have won several awards in the areas of innovation and design. Awards such as the ADI Ceramics Design Award, reserved for the most innovative products in the Italian sanitary sector, the German Design Award Special Mention and the Archiproduct Design Awards Winner 2023, one of the most prestigious international design awards, are proof of our competence and quality standards. What are the benefits for you as a customer ? For Duka, international awards are both a confirmation and an incentive for our daily work. Therefore we continue to do our utmost to design and manufacture unique gems for your bathroom, to make the modern architectural language of our models tangible

**Duka - every detail counts!**





## Duka quality

Quality is our claim – related to ourselves, our products and our partners. Our high quality standards are also reflected in our choice of raw materials. We source both our high-quality glass and aluminium in the closest proximity. The tempered safety glass is produced in our own glassworks near Venice, the cradle of European glass manufacturing. Our aluminium profiles made of special alloys are sourced from an Austrian expert in this field. In our in-house metal processing department, all fittings, hinges and handles are manufactured on high-precision CNC machines.

**Duka - a little better every day!**








## Tailor-made solutions

As a specialist in tailor-made solutions, we are able to fulfil almost any wish. Years of experience are the basis for customised solutions without sacrificing aesthetics and practicality. Forewalls, roof slopes, cut-outs, sloping walls or floor drops - Duka manufactures shower enclosures to fit your bathroom. This means that even larger tolerances on site can be compensated easily, quickly and professionally. It goes without saying, that we deliver our custom-made products in the shortest time possible, something for which we have already received awards.

**Duka - your tailor-made specialist!**





acqua 5000  
pura 5000

Q0-SE2 L + R & Q0-WV2  
Special solution - Frameless model  
↔ 700 - 1600 mm



# acqua 5000

## TIMELESS ELEGANCE

**8 mm** Glass thickness | **2000 mm** Standard height

With acqua 5000, Duka have realised their goal of creating a frameless sliding door. Shining aluminium meets the weightless clarity of glass. Eye-catching form and aesthetics outfit come together to create a unique atmosphere in your bathroom. As a corner or niche, acqua 5000 is available in almost all dimensions.



Wall profile models



Frameless models



[duka.it/acqua5000](https://duka.it/acqua5000)









QR-ST2N L

Two-panel sliding door for niche - Wall profile model


↔ 970 - 2200 mm



QR-ST2N L + QR-WV2 R

Two-panel sliding door in combination with shortened side panel - Wall profile model

↔ 970 - 2200 mm



QR-ST3 L

Three-panel sliding door for niche - Wall profile model

↔ 1350 - 2200 mm





QR-ST4

Four-panel sliding door for niche - Wall profile model

↔ 1445 - 2400 mm



QR-ST2W L + QR-W2 R

Two-panel sliding door with side panel - Wall profile model

↔ 980 - 2200 mm





QR-ST3 L + QR-W4 R

Three-panel sliding door in combination with side panel - Wall profile model

↔ 1350 - 2200 mm



QR-ST4 + QR-W4 R

Four-panel sliding door as U solution - Wall profile model

↔ 1445 - 2400 mm



QR-SE2 L+R

Corner entry with two panels - Wall profile model

↔ 700 - 1600 mm







Q0-ST2N L

Two-panel sliding door for niche - Frameless model

↔ 970 - 2200 mm



Q0-ST2N L + Q0-WV2 R

Two-panel sliding door in combination with shortened side panel - Frameless model

↔ 970 - 2200 mm



Q0-ST1N L

Single-panel sliding door for niche solutions with front-wall - Frameless model

↔ 520 - 1100 mm



Q0-ST2W L + Q0-W2 R

Two-panel sliding door with side panel - Wall profile model

↔ 970 - 2200 mm



Q0-SE2 L + R

Corner entry with two panels - Frameless model

↔ 700 - 1600 mm





## Product-details acqua 5000



### **1 - Adhesive technology:**

This icon indicates items where the hinges and fasteners are bonded to the glass with the tried-and-tested Duka® UV adhesive technique.

### **2 - Telescopic screw:**

The advanced technology of our adjustable wall mounting profiles by means of telescopic screw not only guarantees secure closure on sloping walls, but also simplifies assembly considerably and eliminates visible screw fastenings.



### 3 - Automatic Close & Stop:

The glass doors glide gently over the last few inches into “open” or “closed” position - a bonus for any bathroom. The innovative A/C system is available as an optional for all acqua models.

### 4 - Sliding panels with swivel-release mechanism:

Lower runner guide – by pressing lightly on the runner guide, the sliding panel can be quickly released for ease of cleaning, even between the panels.

### 5 - New, innovative stability:

it does what it promises: Corner entry in large showers with no ceiling attachment! Our unique solutions are designed to impress!

PR-TW2 L + PR-W R + PR-WV L  
Special solution  
↔ 600 - 1600 mm



# pura 5000

## PURE CONTINUITY

**8 mm** Glass thickness | **2000 mm** Standard height

Do precision, sophisticated technology and sublime aesthetics improve your life? Are harmonious details and smooth interplays of fine materials a recipe for happiness? Yes! True technology shines through in elegance and purity of form. The new colours expand the possibilities for individual design to suit every lifestyle.



Wall profile models



Frameless models



[duka.it/pura5000](https://duka.it/pura5000)







PR-TN2 R

Single-panel pivot door with fix panel for niche

↔ 600 - 1600 mm







PR-TN2 R + PR-WV L

Single-panel pivot door with fixed panel in combination with shortened side panel

↔ 600 - 1600 mm



PR-TN3 R

Single-panel pivot door with 2 fixed panels for niche  
↔ 1000 - 2100 mm



PR-TN4

2-panel pivot door with 2 fixed panels for niche  
↔ 1200 - 2200 mm



PR-TW2 L + PR-W R

Single-panel pivot door with fixed panel in combination with side panel

↔ 600 - 1600 mm







PR-T2 E + K

Corner entry with 2 pivot doors and 2 fixed panels

↔ 600 - 1600 mm



PR-R2P

Quadrant door with 2 pivot doors and two fixed panels

↔ 764 - 1200 mm



P-TN1 R

Single-panel pivot door for niche

↔ 500 - 1000 mm





P-TN2 L

Single-panel pivot door with fix panel for niche

↔ 600 - 1600 mm



P-FPTN L

Bi-folding door for niche  
↔ 500 - 1000 mm



P-TN1 L + P-WV R

Single-panel pivot door in combination with  
shortened side panel  
↔ 500 - 1000 mm





P-TN1X R

Single-panel pivot door with side panel in line for niche

↔ 1000 - 2000 mm





P-TN3 L

Single-panel pivot door with fixed panel in line for niche

↔ 1000 - 2100 mm



P-TN2P L

Two-panel pivot door with fixed panel for niche  
↔ 1200 - 2200 mm



P-TN4

2-panel pivot door with 2 fixed panels for niche  
↔ 1200 - 2200 mm



P-TW1 R + P-W L

Single-panel pivot door in combination with side panel

↔ 500 - 1000 mm







P-TW2 R + P-W L

Single-panel pivot door with fixed panel in combination with side panel

↔ 600 - 1600 mm



P-FPTW R + P-W L

Bi-folding door in combination with side panel

↔ 500 - 1000 mm



P-PTW R + P-WP L

Two-panel pivot door in combination with side panel

↔ 600 - 1200 mm



P-T1 E + K

Corner solution with 2 pivot doors

↔ 500 - 1000 mm



P-T2 E + K

Corner solution with 2 pivot doors with fixed panels

↔ 600 - 1600 mm



P-FPT E + K

Corner solution with 2 Bi-folding doors  
↔ 500 - 1000 mm



P-R2P

Quadrant door with 2 pivot doors and two fixed panels  
↔ 754 - 1200 mm



## Product-details pura 5000




### **1 - Adhesive technology:**

Strict controls during our manufacturing process guarantees long product life and lasting adhesion. Our innovative UV process ensures absolute safety.

### **2- The drip profile:**

is barely visible from the outside, yet offers optimum splash protection.

## Product-details pura 5000 Wall profile models



### **1 - Adjustment options:**

Wall mounting profile with innovative adjustment mechanism for fixed panels and side walls.

### **2 - Adjustment options:**

Wall mounting profile, minimalist design with all the benefits of adjustability and concealed screw fastenings



## Product-details pura 5000 Frameless models



### 1 - Design:

The discreet silk screen print, in the same colour as the hinge and handle, conceals internal wall mountings.



### 2 - Handle design:

The aluminium handle has been ergonomically designed for a comfortable, safe grip both inside and outside the enclosure.



## ColourArt

The new ColourArt introduction now **brings colour into the bathroom** and makes the hinges and handles even more contemporary. The hinges and handles available in five new finishes – metal brushed copper, metal brushed brass and metal brushed black (PVD coating, Physical Vapor Deposition, which ensures abrasion, scratch and corrosion resistance), metal matt white, metal matt black (lacquered aluminium) – make it possible to create **different and original sets** for a very personal shower experience.

The profiles of the shower enclosure are in silver high polish and now also in stainless steel look available. On the models without profile there is a short silk screen print on the glass that matches the colour of the hinges and handles.



**SHL** | silver high polish




**INO** | inox



**BCU** | metal brushed copper




**BBR** | metal brushed brass



**BBL** | metal brushed black




**MWH** | metal matt white



**MBL** | metal matt black







princess 4000  
multi-S 4000  
natura 4000

8PT R  
Swing door for niche, glass 8 mm  
↔ 500 - 1200 mm



# princess 4000

## TOMORROW'S FAVOURITE SOLUTION

**6 mm / 8 mm** Glass thickness | **1950 mm** Standard height

The allure of the exclusive. An alternative solution offering the utmost in comfort, design and functionality. The top-quality hinges, elegant design and ease of access are just a few of the features which make this product so special.



[duka.it/princess4000](http://duka.it/princess4000)







8PT L + 8PSV R

Swing door in combination with shortened side panel, glass 8 mm

↔ 500 - 1200 mm



8PTX L

Swing door with side panel in line for niche, glass 8 mm

↔ 700 - 2250 mm





8PTS R + 8PS L

Swing door in combination with side panel, glass 8 mm

↔ 500 - 1200 mm



8P E + K

Corner solution with 2 swing doors, glass 8 mm

↔ 500 - 1200 mm



6PRST R

Quadrant door with swing door and side panel, glass 6 mm

↔ See price list for dimensions





## Product-details princess 4000



### 1 - Design:

The hinge covers conceal numerous state-of-the-art technical details: adjustability, raise/lower mechanism and hinges.

### 2 - Stability:

The attractive towel rail and hinges provide outstanding stability and are bonded to the glass by means of the tried-and-tested Duka® UV adhesive technique. The towel rail can be adjusted by 25 mm. The subtle elegance of the design is highlighted by the geometrical lines of the profiles.

### 3 - Adjustment options:

No matter whether the glass thickness is 6 mm or 8 mm, the covers conceal an adjustment range of 25 mm.



GFTFN

Single-panel pivot door with fixed panel and side panel in line for niche

↔ 840 - 2100 mm



# multi-S 4000

## PERFECTLY PIVOTED

**6 mm** Glass thickness | **1950 mm** Standard height

**Pivot system** Technological design and peerless finesse: The multi-S 4000 new offers you so much room: The swing-panel provides unrestricted entry, while the hinge allows for 90° opening both outwards and inwards.



[duka.it/multi-S4000](https://duka.it/multi-S4000)







GPT2N

2-panel swing door for niche  
↔ 500 - 1600 mm



GPT2N + GPWV

Two-panel pivot door in combination with  
shortened side panel  
↔ 500 - 1600 mm



GPT1 E + GFT K

Special solution

↔ See price list for dimensions



GPT1N

Single-panel pivot door for niche  
↔ 500 - 1000 mm



GFTN

Single-panel swing door with fixed panel for niche  
↔ 650 - 1800 mm



GFTN + GFWV

Single-panel pivot door with fixed panel in combination with shortened side panel

↔ 650 - 1800 mm





GFPNL

Bi-folding door for niche

↔ 530 - 1500 mm



GFPNL + GFVV

Bi-folding door in combination with shortened side panel

↔ 530 - 1500 mm



GPT1SN

Single-panel pivot door with side panel for niche

↔ 720 - 2100 mm





GFTPN

Two-panel pivot door with fixed panel for niche  
↔ 720 - 2100 mm



GFT2N

2-panel pivot door with 2 fixed panels for niche  
↔ 840 - 2200 mm



GFPN2

Two-panel bi-folding door

↔ 1000 - 2400 mm





GPT2W + GPW

Two-panel pivot door in combination with side panel

↔ 500 - 1600 mm



GPT1W + GFW

Swing door in combination with side panel  
↔ 500 - 1000 mm



GFTW + GFW

Swing door with fixed panel in combination  
with side panel  
↔ 650 - 1800 mm



GFPWL + GFW

Bi-folding door in combination with side panel

↔ 530 - 1500 mm



GPT1 E+K  
Corner solution with 2 pivot doors  
↔ 500 - 1000 mm



GPT1 E+K  
Corner solution with 2 pivot doors and 2 fixed panels  
↔ 650 - 1800 mm



GFP E

Corner entry with 2 Bi-folding doors

↔ 500 - 1500 mm







### GF1S L

Pentagonal shower enclosure with pivot door and 2 fixed panels

↔ See price list for dimensions







GF2

Pentagonal shower enclosure with 2 pivot doors  
and 2 fixed panels

↔ See price list for dimensions



GRX L / GLX L

Pentagonal shower enclosure with 2 pivot doors  
and 1 fixed panel

↔ See price list for dimensions



GFRP4

Quadrant door with 2 pivot doors and 2 fixed panels

↔ See price list for dimensions



GR2

Quadrant door with 2 pivot doors

↔ See price list for dimensions



GFPMR

Quadrant door with 2 bi-folding doors

↔ See price list for dimensions



GFFP U

"U" cabin with 2 bi-folding doors and fixed panels

↔ 700 - 1000 mm



## Product-details multi-S 4000



### 1 - Design:

Stabilising support system, gently swinging doors with an auto-close system and a practical, well-designed handle together with the pivot-system provide an effortlessly smooth functionality. Every shower enclosure is a one-off piece, made precisely to your wishes.

### 2 - Recessed hinge:

The quality metal hinges with concealed screws round off the elegance of this design.

### 3 - Adjustment options:

The entire door can be easily and easily adjusted within the pre-set range by means of a fine thread mechanism with setting wheel. This means that adjustment is possible even after years.

### 4 - Auto Close:

The tried-and-tested, optionally adjustable raise and lower auto-close system allows you to click the pivot into place exactly where you want it!



A-E2-LR

Corner solution with sliding door and without lower horizontal profile  
↔ 870 - 1800 mm



New standard height for all articles: 2000 mm

New special height for articles in SIL and CSH up to 2100 mm

Special height for articles in BLP, COP and BRP up to 2000 mm

# natura 4000

## ALL NATURAL

**6 mm** Glass thickness | **2000 mm** Standard height

Duka confirm once more their skilled expertise in developing high-performance, exceptionally comfortable products. The contemporary spirit of the natura 4000 rounds out this high-end series, embodied in a captivating product which allows the customer to enjoy the pleasure of a true shower experience, day after day after day. The series is available in three new, trendy colours: copper pearl, brass pearl and black pearl.



[duka.it/natura4000](https://duka.it/natura4000)







AR-ST2N L

Two-panel sliding door without lower horizontal profile for niche

↔ 870 - 1800 mm



AR-ST4

Four-panel sliding door with lower horizontal profile  
↔ 1315 - 2000 mm



A-ST4

Four-panel sliding door without lower horizontal profile  
↔ 1315 - 2000 mm



A-DTN L

Revolving door for niche

↔ 600 - 1000 mm





A-FPN L

Bi-folding door for niche

↔ 600 - 1200 mm



AR-DTN L  
Revolving door for niche  
↔ 600 - 1000 mm



AR-PTN L  
Single-panel pivot door for niche  
↔ 550 - 1000 mm





AR-FPN L

Bi-folding door for niche

↔ 600 - 1200 mm



AR-PTF L

Single-panel pivot door with side panel in line for niche

↔ 959 - 1800 mm



AR-DTW R + A-S DT L

Revolving door in combination with side panel

↔ 600 - 1000 mm





AR-DTW L + A-S DT R

Revolving door in combination with side panel

↔ 870 - 1800 mm



AR-PTW R + A-S DT L

Single-panel pivot door in combination with side panel

↔ 550 - 1000 mm





AR-FPW R + A-S DT L

Bi-folding door in combination with side panel

↔ 600 - 1200 mm







AR-PTF L + A-SV R

Single-panel pivot door with side panel in line in combination with shortened side panel

↔ 959 - 1800 mm



AR-ST4 + A-S4

Four-panel sliding door with lower horizontal profile in combination with side panel

↔ 1315 - 2000 mm



A-EDT L+R

Corner solution with 2 revolving doors

↔ 600 - 1000 mm



A-EFP L+R

Corner entry with 2 bi-folding doors

↔ 600 - 1200 mm





AR-ST2W L + A-S ST R

Two-panel sliding door with lower horizontal profile in combination with side panel

↔ 870 - 1800 mm





#### AR-E2 L+R

Corner solution with sliding doors with lower horizontal profile

↔ 550 - 1200 mm





A-E2 L+R

Corner solution with sliding door and without lower horizontal profile

↔ 550 - 1200 mm



A-E2 L+R

Corner solution with sliding door and without lower horizontal profile

↔ 550 - 1200 mm





A-VRS

Quadrant door with 2 sliding elements and 2 fixed panels

↔ 765 - 1200 mm







## Product-details natura 4000 - sliding systems



### 1 - Swivel mechanism:

The symbiosis of the protection strip and the new, efficient easy-care seal allows a maximum splash protection. The lower runner system conceals a typical Duka-innovation: with the assistance of magnetic support the door glides sturdily and calmly on a guiding hook, which can be released in order to clean the door.

### 2 - Automatic Close & Stop (ACS) / Automatic Close (AC):

The sliding door glides smoothly along the runner to the "open" or "closed" position (ACS). Also available with Automatic Close (AC) only. Either one of these innovative systems can be ordered as an optional.

### 3 - Sliding systems:

The fixed panels of the corner entry model are available with or without a horizontal profile.

### 4 - Girofix:

Wall attachment with the new, improved girofix system: Quick, easy and convenient.





## Product-details natura 4000 - pivot, swing and bi-fold doors



### 1 - Hinge:

The intelligent hinge of the bi-fold pivot door with a 180° opening, is fitted with an AC-mechanism.

### 2 - Design:

the design of the hinge with its offset pivot makes this model particularly flexible. It can be adjusted to adapt to external obstructions (e.g. towel warmers) or internal (mixers or taps) without foregoing wide entrance space and transparency of the surface.

### 3 - Mounting:

The wall attachment profile compensates perfectly by means of its innovative, telescopic adjustment mechanism.

### 4 - Adhesive technology:

The hinges are attached directly to the glass by means of the tried-and-tested Duka UV adhesive technology. The result: completely smooth inner surface of the glass for outstanding beauty and ease of cleaning.



## natura 4000 - Colour Up Your Life

The popular natura 4000 model series is becoming even more desirable. From autumn, it is available in three new, trendy colours: copper pearl, brass pearl and black pearl. The Pearl-colours are available for our products natura 4000, libero 4000 (freestanding doors only) and libero 3000. Depending on the incidence of light, the colours of the new surfaces change shades. The special luminosity and brilliance of these colours give the products a warm radiance and thus a noble and pleasant aura. Whichever solution you choose, with the endless possibilities for combination and customisation, you can give your bathroom just the look you want.



**COP** | copper pearl

The colour copper adds a classic charm to the room.



**BRP** | brass pearl


The colour brass conveys sophistication and luxury



**BLP** | black pearl

Black creates a pleasant and friendly ambience



The image features a minimalist design with a dark grey vertical bar on the left side. Several thin, dark grey vertical bars of varying heights are positioned across the top of the page. The text 'gallery 3000' and 'dukessa 3000' is located in the lower right quadrant.

gallery 3000  
dukessa 3000



GR-TN2 L  
Single-panel swing door with fixed panel for niche  
Wall profile model  
↔ 600 - 1600 mm



# gallery 3000

LIVING TRADITION IN A MODERN WAY



**Wall profile  
models**



**Frameless models**




**Flush-mounted  
models**

**6 mm** Glass thickness | **2000 mm** Standard height

Modern, smart and innovative. Three different installation methods accentuate the flexibility of gallery 3000. Alongside the traditional wall profile model, the range now includes wall-mounted hinge models and the flush-mounted profile.



[duka.it/gallery3000](https://duka.it/gallery3000)








# GR-TN2 L + GR-WV2 R

Single-panel pivot door with fixed panel in combination with shortened side panel - Wall profile model

↔ 600 - 1600 mm



GR-TN3 L

Single-panel pivot door with fixed panel and side panel in line for niche - Wall profile model

↔ 1000 - 2100 mm



GR-TW2 R + GR-W2 L

Single-panel pivot door with fixed panel in combination with side panel - Wall profile model

↔ 600 - 1600 mm







#### GR-TE2 L+R

Corner entry with 2 pivot doors and 2 fixed panels - Wall profile model

↔ 600 - 1600 mm



GR-R2P

Quadrant door with 2 pivot doors and two fixed panels - Wall profile model

↔ 780 - 1200 mm



G0-TN1 L

Single-panel pivot door for niche - Frameless model

↔ 400 - 1020 mm







G0-TN2 L + G0-WV2 R

Single-panel pivot door with fixed panel in combination with shortened side panel - Frameless model

↔ 600 - 1600 mm



G0-PTN

Two-panel swing door for niche - Frameless model

↔ 600 - 1220 mm





G0-TN1X L

Single-panel pivot door with side panel in line for niche - Frameless model

↔ 800 - 1800 mm



GO-TN3 L

Single-panel pivot door with fixed panel and side panel in line for niche - Frameless model

↔ 1000 - 2100 mm



G0-TW1 R + G0-W2 L

Single-panel pivot door in combination with side panel for niche - Frameless model

↔ 400 - 1020 mm



G0-TW2 R + G0-W2 L

Single-panel pivot door with fixed panel in combination with side panel - Frameless model

↔ 600 - 1600 mm





G0-PTW L + G0-WP R

Two-panel pivot door in combination with side panel - Frameless model

↔ 600 - 1220 mm



G0-TE1 L+R

Corner entry with 2 pivot door

↔ 400 - 1020 mm





G0-TE2 L+R

Corner entry with 2 pivot door and 2 fixed panels - Frameless model

↔ 600 - 1600 mm



G0-R2P

Quadrant door with two pivot doors and two fixed panels - Frameless model

↔ 780 - 1200 mm



#### GU-TN2 L

Single-panel swing door with fixed panel for niche - Flush-mounted model

↔ 600 - 1600 mm







GU-TN1X R

Single-panel pivot door with side panel in line for niche - Flush-mounted model

↔ 800 - 1800 mm



GU-TN3 L

Single-panel pivot door with fixed panel and side panel in line for niche - Flush-mounted model

↔ 1000 - 2100 mm





GU-TW2 R + GU-W2 L

Single-panel pivot door with fixed panel in combination with side panel - Flush-mounted model

↔ 600 - 1600 mm





G0-PTW L + GU-WP R

Two-panel pivot door in combination with side panel - Flush-mounted model

↔ 600 - 1220 mm



#### GU-TE2 L+R

Corner entry with 2 pivot doors and 2 fixed panels - Flush-mounted model

↔ 600 - 1600 mm







GU-R2P

Quadrant door with 2 pivot doors and two fixed panels - Flush-mounted model

↔ 780 - 1200 mm







## Product-details gallery 3000



### 1 - UV adhesive technology – brilliant:

The hinges are attached directly to the glass by means of the tried-and-tested Duka UV adhesive technology. The inner surface of the glass is completely smooth, giving you both clear, uncluttered beauty and outstanding ease of cleaning.

### 2 - Horizontal support:

The horizontal support bars are, likewise, in complete aesthetic harmony with the linear features of the handle and profiles, and play their own part in enhancing the elegance of your shower enclosure. The minimum width of 11 mm guarantees absolute stability with minimum visual impact.

### 3 - 180° hinges:

The 90° bi-directional opening ensures easy access to the shower, even in smaller bathrooms. / **Adjustable Automatic Close System:** With the tried-and-tested Automatic Close System, the doors glide smoothly along the last few centimetres and draw gently into the closed position.

### 4 - Magnetic aluminium profile:

A thin, aluminium profile with a magnetic insert is affixed to the vertical edge of the glass. The aluminium profile is calibrated to hold fast to the glass without adhesives, and keeps the magnet firmly in place when the door is in movement or during cleaning.



## Product-details gallery 3000



### 5 - Handle:

The handle is the result of practicality blended with ergonomic performance and design, and has been precision-designed to match the functional and aesthetic features of the door itself; the shape is in perfect harmony with the regular geometric lines of the enclosure. The rubber element within the handle in the inner side of the door ensures top functionality, particularly when in contact with water. For doors without a fixed frame component, the outer side of the handle is fitted with a buffer to protect the door, wall and furnishings in case of contact.



**6 - The attractive towel rail** combines beautifully with the elegance of the design.



### 7 - The 4 ★ seal system:

The seal system has also been integrated into the new gallery 3000 for even greater ease of cleaning and maintenance. The 4 ★ seal system is fitted to the base of the glass panelling as a discreet aluminium profile together with a PVC seal insert. The inner deflector and soft flaps of the seal strip keep the water firmly in check. The seal strip can be removed quickly and easily for cleaning or replacement.

A-CT3 + A-CS  
Three-panel sliding door in combination with side panel  
↔ 650 - 1900 mm



# dukessa 3000

**DESIGNED FOR THE SAKE OF YOUR PLEASURE**

**3 mm** Glass thickness | **1900 mm** Standard height

Our model series dukessa 3000, in real or synthetic glass, reflects our quality consciousness. The result is a harmonious, uncompromising product that guarantees unparalleled joy in showering, every single day.



[duka.it/dukessa3000](https://duka.it/dukessa3000)









A-CT3

Three-panel sliding door for niche  
↔ 650 - 1900 mm



A-CT3 + A-CSP

Three-panel sliding door in combination with shortened side panel  
↔ 650 - 1900 mm



A-CEK2

Corner entry with two panels - Wall profile models  
↔ 550 - 1250 mm



A-CEK3

Corner entry with three panels with 4 sliding  
doors and 2 fixed panels  
↔ 650 - 1250 mm



A-CE3 (B) + A-CK2 (3)

Corner entry with two and three panel sliding door

↔ See price list for dimensions



A-CR

Quadrant door with 4 sliding elements and 2 fixed panels

↔ See price list for dimensions



A-CV

Quadrant door with 2 sliding elements and 2 fixed panels


↔ See price list for dimensions







## Product-details dukessa 3000



### 1 - Telescopic screw:

The advanced technology of our adjustable wall mounting profiles by means of telescopic screw not only guarantees secure closure on sloping walls, but also simplifies assembly considerably and eliminates visible screw fastenings.

### 2 - Girofix:

The innovation in assembly: the "girofix" attachment system for corner entrances. This technique simplifies installation and eliminates visible screw fastenings.

### 3 - Runners:

Consistent use of maintenance-free ball bearing technology and intelligent runner technology with concave wheels allows for outstanding ease of use and an ultra-smooth glide. They can be infinitely adjusted, guaranteeing perfect sliding and closing of the door.

### 4 - Swivel-release mechanism:

The individual sliding panels can be infinitely adjusted, thus guaranteeing perfect sliding and closing of the door. They can also be swung out for ease of cleaning.





vela 2000  
stila 2000  
prima 2000

V6PT  
2-panel swing door for niche  
↔ 500 - 1400 mm



# vela 2000

## PERFECTION

**6 mm** Glass thickness | **1950 mm** Standard height

Perfection from the moment of installation to the joy of showering, every single day. Through harmonious, classic, practical design and simple, time-saving installation, the vela 2000 is a quality product that guarantees exceptional functionality for years to come.



[duka.it/vela2000](https://duka.it/vela2000)









V6ST L

Single-panel pivot door for niche  
↔ 500 - 1000 mm



V6TW L

Single-panel swing door with fix panel for niche  
↔ 500 - 1400 mm



V6FST L

Single-panel pivot door with side panel in line for niche

↔ 1000 - 2000 mm



V6PTF L

Two-panel pivot door with fixed panel for niche  
↔ 1000 - 2000 mm



V6TW L + V6SV

Single-panel pivot door with fixed panel in combination with shortened side panel - Wall profile model  
↔ 500 - 1400 mm



V6TW L + V6S

Single-panel pivot door with fixed panel in  
combination with side panel  
↔ 500 - 1400 mm



V6PT + V6S

Two-panel pivot door in combination with side panel  
↔ 500 - 1400 mm



V6 E+K

Pentagonal shower enclosure with 2 pivot doors and 2 fixed panels

↔ 500 - 1600 mm





V6RP

Quadrant door with 2pivot door and two fixed panels

↔ See price list for dimensions





V6RS L

Quadrant door with swing door and 2 fixed panels

↔ See price list for dimensions



V6FS L

Pentagonal shower enclosure with pivot door and 2 fixed panels

↔ See price list for dimensions



## Product-details vela 2000



### 1 - Design:

The doors open inwards as well as outwards and provide maximum space, even in smaller showers.

### 2 - Support:

The adjustable support connecting the fixed panel and side wall is stable and easy to install.

### 3 - Design:

The linear integrated handle with magnetic closure and the use of high-quality materials distinguish the vela 2000.

### 4 - Design:

In addition to the raise/lower mechanism, the closure point of the movable panel can also be adjusted by selecting the locking point.

C6-FPW L + C6-S  
Bi-folding door in combination with side panel  
↔ 600 - 1200 mm



# stila 2000

## THE DESIGN OF EVERYDAY THINGS

**6 mm** Glass thickness | **1950 mm** Standard height

The design of the new stila 2000 impresses with its clarity, simplicity and contemporary feel. Consistent lines, harmonious and balanced to the last detail, bring the modern architectural language of these models to life. The range of the already versatile stila 2000 model series has been extended to include the colour black.



[duka.it/stila2000](https://duka.it/stila2000)









CR-PT2  
2-panel swing door for niche  
↔ 600 - 1100 mm



CR-PT1 L  
Single-panel pivot door for niche  
↔ 500 - 1000 mm



CR-FT L  
Folding door for niche  
↔ 600 - 1000 mm



C6-FPN R

Bi-folding door for niche

↔ 600 - 1200 mm



C6-FPW L + C6-SV R

Bi-folding door in combination with shortened side panel

↔ 600 - 1200 mm



CR-ST2 L

Two-panel sliding door for niche - Wall profile model

↔ 870 - 1600 mm



C6-ST2N L

Two-panel sliding door without lower horizontal profile for niche

↔ 870 - 1600 mm





CR-ST2 R + CR-SV L

Two-panel sliding door in combination with shortened side panel

↔ 870 - 1600 mm



CR-ST3 L

Three-panel sliding door for niche

↔ 725 - 1200 mm



CR-PT1 L + CR-S

Single-panel pivot door in combination with side panel

↔ 500 - 1000 mm



C6-ST2W L + C6-S ST R

Two-panel sliding door without lower horizontal profile in combination with side panel without horizontal profile

↔ 870 - 1600 mm



C6-FPE L+R

Corner entry with 2 Bi-folding doors

↔ 600 - 1200 mm







CR-E2 + D2

Corner entry with two panels - Wall profile models

↔ 600 - 1200 mm



C6-E2 + D2

Corner entry with two panels with 2 sliding doors and 2 fixed panels without lower horizontal profile

↔ 670 - 1200 mm



CR-VRS4

Quadrant door with two sliding elements and 2 fixed panels

↔ See price list for dimensions







## Product-details stila 2000



**1 - Frameless:** The latest version of stila 2000 models without lower horizontal profiles rounds off the product portfolio and meets all architectural requirements for the modern bathroom. In updating our design we have also enhanced the practical features of this shower enclosure, which now features a simplified entrance, ease of cleaning and improved releasable sliding elements.

### **2 - Runners:**

The runners can be easily adjusted to ensure a perfect function - time after time.

### **3 - Design:**

Bi-fold doors feature an additional handle between the folding panels, inside and outside, for easier opening of the doors.

### **4 - Raise/lower mechanism:**

The pivot and bi-fold models feature an infinitely adjustable raise/lower mechanism for precision setting of the 90° open and closed position of the doors.

### **5 - Swivel release mechanism:**

Its winningly simple design features a release mechanism integrated into the outer side. When activated, the doors swivel freely, allowing for remarkable ease of cleaning.



CUPT / MUPT  
2-panel swing door for niche  
↔ 500 - 1100 mm



# prima 2000 glass prima 2000

## REFRESHING CONVENIENCE

**3 mm** Glass thickness | **1900 mm** Standard height

Contemporary, uniform design throughout the series and intelligent technology distinguish the new prima 2000 shower enclosure as a genuine Duka product with all the advantages for which we are so well-known. Available in safety glass or in elegant methacrylate panels.



[duka.it/prima2000glass](https://duka.it/prima2000glass)



[duka.it/prima2000](https://duka.it/prima2000)







CUST / MUST

Three-panel sliding door for niche  
↔ 650 - 1100 mm



CUT

Single-panel pivot door for niche  
↔ 450 - 900 mm



CUFT / MUFT  
Folding door for niche  
↔ 550 - 900 mm



CUT + CUSP  
Single-panel pivot door in combination with  
shortened side panel  
↔ 450 - 900 mm



#### CUT + CUS

Single-panel pivot door in combination with side panel

↔ 450 - 900 mm









CUST L / MUST L + CUS / MUS

Three-panel sliding door in combination with  
side panel

↔ 860 - 1400 mm



CUED2 / MUED2

Corner entry with two panels

↔ 600 - 1000 mm



CUED3 / MUED3

Three-panel corner entry

↔ 600 - 1000 mm



CUV / MUV

Quadrant door with 2 sliding elements and  
2 fixed panels

↔ See price list for dimensions



CUR / MUR

Quadrant door with 4 sliding elements and 2 fixed panels

↔ See price list for dimensions



#### CUFS

Pentagonal shower enclosure with pivot door and 2 fixed panels

↔ See price list for dimensions



#### CUPP / MUFPP

Pentagonal shower enclosure with 2 pivot doors and 2 fixed panels

↔ See price list for dimensions





### 1 - Design:

Smooth-running, height-adjustable door panels guarantee many years of perfect function.

### 2 - Adjustment options:

The pivot and bi-fold doors can be opened inwards and outwards. In addition to the raise/lower mechanism, the closure point of the movable panel can also be adjusted by selecting the locking point.

### 3 - Runners:

All articles bearing this icon feature sliding elements with height-adjustable rollers, guaranteeing optimal adjustment options for perfect sliding and closing of the doors.

### 4 - Release:

Shower enclosures bearing this icon feature sliding doors with individual panels which can be released and moved independently of each other. This greatly simplifies cleaning of the overlapping parts of the doors.







libero 5000

libero 4000

libero 3000

FR-G2N L  
Freestanding two-panel sliding door INLAB for niche  
Wall profile models  
↔ 900 - 2000 mm



# libero 5000

**VISIBLE PLEASURE**



**Wall profile  
models**



**Frameless  
models**



**Flush-mounted  
models**

**8 mm** Glass thickness | **2000 mm** Standard height

Spacious shower enclosures that can be customised in shape and form, embodying the central concepts of ritual and relaxation. libero 5000 Inlab is the intelligent and functional Walk In solution that is now available for outfitting niches, allowing you to fully utilize the available space and overcome any architectural obstacles



[duka.it/libero5000](https://duka.it/libero5000)







FR-WF L

Freestanding side panel - Wall profile models

↔ 150 - 1800 mm



FR-WW R + FR-WK L

Walk-In shower in combination with side panel - Wall profile model

↔ 150 - 1500 mm





FR-WN R

Walk-In shower for niche - Wall profile model

↔ 150 - 1500 mm





FR-G2 R

Freestanding two-panel sliding door INLAB - Frameless model

↔ 900 - 2000 mm



F-WF L

Freestanding side panel - Frameless model

↔ 150 - 1800 mm





F-WW R + F-WK R

Walk-In shower in combination with side panel - Frameless model

↔ 150 - 1500 mm







F-WN R

Walk-In shower for niche - Frameless model

↔ 150 - 1500 mm







F-G2N L

Freestanding two-panel sliding door INLAB for niche - Frameless model

↔ 900 - 2000 mm



FU-G2 L

Freestanding two-panel sliding door INLAB - Flush-mounted model

↔ 900 - 2000 mm





FU-WF L

Freestanding side panel - Flush-mounted model

↔ 150 - 1800 mm





FU-G2N L


Freestanding two-panel sliding door INLAB for niche - Flush-mounted model

↔ 900 - 2000 mm





## Product-details libero 5000 Inlab



### 1 - Automatic Close & Stop:

The glass doors glide gently over the last few inches into “open” or “closed” position - a bonus for any bathroom.

### 2 - Sliding panels with swivel-release mechanism:



Lower runner guide – by pressing lightly on the runner guide, the sliding panel can be quickly released for ease of cleaning, even between the panels.

### 3 - The 5-star seal system:

The discreet aluminium profile is attached flush to the base of the glass with no protrusion, cutting potential dirt residue to a minimum. The PVC seal insert (similarly, with no protrusion) features an inner deflector and soft, downward-angled PVC flaps.



## Product-details libero 5000



**1 - The attractive towel rail** combines beautifully with the elegance of the design.

**2 - Wall profile model:** The traditional system with vertical wall profiles and integrated adjustment mechanism.

**3 - Frameless model:** The all-glass solution with wall fittings.

**4 - Concealed profile model:** A new method of installation: The shower cubicle is affixed to the wall with a concealed profile.



PE 6FP R  
Freestanding pivot door - glass 6 mm  
↔ 750 - 1200 mm



# libero 4000

## CREATING NEW ROOMS

**6 mm / 8 mm** Glass thickness | **2000 mm** Standard height

Forget about compromise and take your pick from a variety of solutions to create your own personal haven of comfort. With impressive technology, both the standard and custom dimensions of the libero 4000 guarantee exceptionally spacious shower enclosures. The series is available in three new, trendy colours: copper pearl, brass pearl and black pearl.



[duka.it/libero4000](https://duka.it/libero4000)







PE 6FP L

Freestanding pivot door with splash screen protection - glass 6 mm

↔ 750 - 1000 mm



PE 6DT L

Freestanding revolving door - glass 6 mm

↔ 600 - 1000 mm



PE 6GFT1 + PE 6WK

Walk-In shower in combination with side panel - glass 6 mm

↔ 1000 - 1800 mm









PE 6GF

Freestanding side panel - glass 6 mm

↔ 600 - 1200 mm



PE 6W GFT1

Walk-In shower, glass 6 mm

↔ 1000 - 1800 mm



#### PE 6PSF R

Freestanding side panel with towel holder, glass 6 mm  
↔ 500 - 1000 mm

#### PE 8PSF L

Freestanding side panel with towel holder, glass 8 mm  
↔ 500 - 1400 mm





PE 6W GF

Walk-In shower, glass 6 mm

↔ 600 - 1200 mm



PE 6WM

Walk-In shower, glass 6 mm

↔ 600 - 1400 mm





PU 6WZ

Freestanding side panel - glass 6 mm

↔ 200 - 1200 mm

PU 8WZ

Freestanding side panel - glass 8 mm

↔ 200 - 1400 mm



PE 6WZ

Freestanding side panel - glass 6 mm

↔ 200 - 1200 mm

PE 8WZ

Freestanding side panel - glass 8 mm

↔ 200 - 1400 mm



PE 8WZ-V

Freestanding side panel - glass 8 mm

↔ 200 - 1400 mm



PE 6GFT2

Walk-In shower, glass 6 mm

↔ 1400 - 2200 mm



PE 8WM-F

Walk-In shower, glass 8 mm

↔ 600 - 1600 mm



## Product-details libero 4000



### **1 - Raise/lower mechanism:**

A new concept of space. The swinging door can be adjusted by means of a raise/lower mechanism – you decide exactly how and where to position it.

### **2 - Stability:**

An intelligent support system which can be adjusted by means of a telescopic screw further guarantees the stability of our products.

### **3 / 4 - Down to the last detail:**

Understated profile design, hidden profile adjustment and matching caps are all standard.

### **5 - Adhesive technology:**

Strict controls during our manufacturing process guarantee long product-life and lasting adhesion. Our innovative UV process ensures absolute safety.





## libero 4000 - Colour Up Your Life

With the colours **copper pearl, brass pearl and black pearl**, the libero 4000 model series shines in a completely new look. Various items in the high-quality series follow in the footsteps of natura 4000 and transform your shower room into an area of the bathroom with even more character. These solutions are ideal for those who prefer open, unobstructed yet strategically functional and customisable spaces. We want to offer more possibilities to design your own shower enclosure according to your taste and needs.



**BRP** | brass pearl  
The colour brass conveys  
sophistication and luxury




**COP** | copper pearl

The colour copper adds a classic charm to the room.



**BLP** | black pearl

Black creates a pleasant and friendly ambience

6GW2F L   
Freestanding side panel - glass 6 mm  
↔ 300 - 1200 mm

8GW2F L  
Freestanding side panel - glass 8 mm  
↔ 300 - 1200 mm

# libero 3000

## CREATING NEW ROOMS

**6 mm / 8 mm** Glass thickness | **2000 mm** Standard height

libero 3000 offers an array of stand-alone solutions with a strong focus on aesthetics, featuring black geometric silkscreen print of the “industrial style” and the new Pearl-colours. The line offers maximum versatility in creating Walk In spaces with top-quality, safe, reliable products.



[duka.it/libero3000](https://duka.it/libero3000)







6GW2F R

Freestanding side panel - glass 6 mm

↔ 300 - 1200 mm

8GW2F R

Freestanding side panel - glass 8 mm

↔ 300 - 1600 mm



6GW2RF R

Freestanding side panel - glass 6 mm

↔ 600 - 1200 mm

8GW2RF R

Freestanding side panel - glass 8 mm

↔ 300 - 1400 mm





6GW2F R

Freestanding side panel - glass 6 mm

↔ 300 - 1200 mm

8GW2F R

Freestanding side panel - glass 8 mm

↔ 300 - 1400 mm





6GW2F R

Freestanding side panel - glass 6 mm

↔ 200 - 1200 mm

8GW2F R

Freestanding side panel - glass 8 mm

↔ 200 - 1400 mm



## libero 3000 - Colour Up Your Life

libero 3000, the subtle and noble Walk In solution, is now also available in the new finishes copper pearl, brass pearl and black pearl. The vertical profile and the support bar evolve into decorative elements in the bathroom ambience.



**BLP** | black pearl  
Black creates a pleasant and friendly ambience



**BRP** | brass pearl  
The colour brass conveys sophistication and luxury



**COP** | copper pearl  
The colour copper adds a classic charm to the room.



6GW2F R

Freestanding side panel - glass 6 mm

↔ 200 - 1200 mm

8GW2F R

Freestanding side panel - glass 8 mm

↔ 200 - 1400 mm

## Product-details libero 3000



### 1 - Positioning:

Detail of the panel support bar: With clear, subtle lines it connects harmoniously with the glass wall without obstructing space or jutting out excessively (6/8GW2F L/R).



### 2 - Design:

The silkscreen print consists of 6 or 8 squares, exclusively in black, in 6 mm and 8 mm glass. enclosed in pure black aluminium frames for perfect aesthetic harmony. The profiles protect the silkscreen print and guarantee stability and a long lifespan (6/8GW2F L/R).







# Bath-tub solutions

GBFPR R  
Bi-folding door for bathtub with curved glass  
↔ 500 - 970 mm



# Bath-tub solutions

Showering and bathing in one. The one-, two- or multipart folding screen will instantly transform your bathtub into a shower enclosure. Choose from our various safety screens in safety glass or methacrylate.

**3 mm / 6 mm** Glass thickness

multi-S 4000: **1500 mm** Standard height

dukessa 3000: **1650 mm** Standard height

multi 3000 / multi 3000 glass: **1400 mm** St. height



multi-S4000



dukessa3000



multi3000



multi3000glass







GBP1

Single-panel shower wall

↔ 300 - 1000 mm



GBFT2

Two-piece shower wall with pivot door and fixed panel

↔ 420 - 1600 mm



GBFP L

Bi-folding door for bathtub

↔ 500 - 1600 mm





A-CP3X


Three-panel sliding door for bathtub

↔ 1000 - 1800 mm





GFW1  
Single-panel shower wall  
↔ 300 - 1000 mm



FW1  
Single-panel shower wall in Metacryl Panels  
↔ 300 - 1000 mm



GF2

Two-piece shower wall  
↔ 700 - 1600 mm



FW2

Two-piece shower wall in Metacryl Panels  
↔ 700 - 1600 mm



GFW3 / FW3  
Three-piece shower wall  
↔ 700 - 1600 mm



FX3  
Three-piece shower wall  
↔ 700 - 1650 mm





GFW3 + GSF

Three-piece shower wall in combination with  
side panel in tempered safety glass  
↔ 700 - 1600 mm



FW3 + SF

Three-piece shower wall in combination with side  
panel in Metacryl Panels  
↔ 700 - 1600 mm





## Product-details



### 1 - 180°:

The 180°-swinging hinge allows the screen to be folded back from the edge of the bath tub, thus enabling easy cleaning of the inner surfaces without having to step into the tub.

### 2 - Mounting:

The advanced technology of our adjustable wall mounting profiles by means of telescopic screw guarantees perfect compensation.


### 3 - Girofix:

The innovation in assembly: the "girofix" attachment system for corner entrances. This technique simplifies installation and eliminates visible screw fastenings.

### 4 - Fine thread mechanism:

The entire door can be easily and easily adjusted within the pre-set range by means of a fine thread mechanism with setting wheel. This means that adjustment is possible even after years.






## Information & technology

# Wide range of solutions

## Solutions for niches



libero 5000																	
libero 4000																	
libero 3000																	
acqua 5000																	
pura 5000																	
princess 4000																	
multi-S 4000																	
natura 4000																	
gallery 3000																	
dukessa 3000																	
vela 2000																	
stila 2000																	
prima 2000																	
multi 3000																	

## Corner solutions



libero 5000																	
libero 4000																	
libero 3000																	
acqua 5000																	
pura 5000																	
princess 4000																	
multi-S 4000																	
natura 4000																	
gallery 3000																	
dukessa 3000																	
vela 2000																	
stila 2000																	
prima 2000																	
multi 3000																	





# The highlights



**Automatic Close & Stop** The glass doors glide smoothly along the last few centimetres into the closed or open position.



**Automatic Close** Articles marked with this icon feature AC automatic close system for the "closed" position only.



**Adhesive technology** This icon indicates items where the hinges and fasteners are bonded to the glass with the tried-and-tested Duka® UV adhesive technique.



**"Brilliant" adhesive technology:** This icon indicates items where the hinges and fasteners are glued to the glass with the new innovative Duka – brilliant UV adhesive technique.



**Recessed hinge technique** Items with this icon feature hinges which are bonded to the glass with the Duka® UV adhesive system for an ultra-smooth surface.



**180° hinge** The 180° hinge guarantees absolute flexibility and comfort: the shower enclosure can be opened fully towards both inside and out.



**180° hinge with Automatic Close** This icon indicates items with an automatic close system - just a simple touch and the doors glide smoothly through to the closed position.



**Raise/lower mechanism** Doors with this mechanism automatically rise by a few mm when opened.



**Adjustable raise/lower mechanism:** In addition to the raise/lower mechanism, the closure point of the movable panel can also be adjusted by selecting the locking point.

Our symbols, **the Duka icons**, stand for the high quality and the safety standards of our shower enclosures, whose compliance is ensured through regular monitoring. Designed as quality features, they serve as a guide and allow for easy, immediate reference to the technical specifications in the Duka price list, Duka training materials and digital presentations. The individual symbols represent the various technical features and reflect the technical expertise of Duka.



**Magnetized, quick-release panels:**

Articles marked with this icon feature sliding panels fitted with power magnets and a quick-release mechanism.



**Releasable sliding panels** Shower enclosures with releasable sliding panels are marked with this icon. The advantage for you: easy cleaning, even between the panels!



**Ball-bearing rollers** Articles marked with this icon are fitted with sliding panels with height-adjustable, ball-bearing rollers.



**Runners** Articles marked with this icon feature sliding panels with height-adjustable runners.



**Infinite adjustment wheel** The entire door can be adjusted within the pre-set range by means of a fine thread wheel.



**Wall compensation through adjustable safety glass** The wall compensation of 25 mm at the side and fixed panels are guaranteed by the "inner wall profile infinitely adjustable tempered glass."



**Telescopic screw wall compensation** The entire door can be easily adjusted within the pre-set range by means of a telescopic screw.



**"girofix" frame profile installation** The models marked with this icon feature a special "girofix-screw" to connect the profile to the wall.



**Quick-release sliding panels** Shower enclosures with this icon feature sliding doors which can be released and moved independently.

## Seal system



### 4-star

An exceptionally discreet, inconspicuous PVC seal strip is attached to the base of the glass. The inner deflector and the soft, downward-angled flaps guide the water in the right direction. Can be removed easily and quickly for cleaning or replacement!



### 4-star


An exceptionally discreet aluminium profile is fitted to the base of the glass together with a PVC seal insert – practically invisible, and outstandingly efficient. The water-repellent inner deflector and soft, downward-angled flaps keep the water firmly in check. The seal strip can be removed extremely quickly and easily for cleaning or replacement!




### 5-star

Maximum innovation and practicality, day after day! The discreet aluminium profile is attached flush to the base of the glass with no protrusion, cutting potential dirt residue to a minimum. The PVC seal insert (similarly, with no protrusion) features an inner deflector and soft, downward-angled PVC flaps. Barely visible, and timelessly beautiful, they offer outstanding performance and can be removed with the greatest of ease for cleaning or replacement if required!

## Standard seal




## Special seal



**Please note!** This seal can be applied as an alternative to the standard seal provided. Please also note that shower enclosures fitted with standard seal and integrated protection strip have been certified to EN 14428. Any alterations to this configuration may lead to reduced leakage protection!

# Safety glass



**A10** transparent



**AQ10** transparent with white silk-screen print at the upper edge of the glass



**AQB10** transparent with anthracite silk-screen print at the upper edge of the glass



**ST10** satin glass



**AG10** Parsol grey



**C10** Cincillà



**CSG10** chromium mirror glass



**TS10** Privé - satinated silk-screen print in the centre of the glass



**TG10** Parsol grey Privé



**VM10** Nebula




**VB10** Nubes

## Methacrylate



**DA4** Rain - methacrylate panels



**KA1** Fine texture - methacrylate panels



# Glasses by model line

	libero 5000	libero 4000	libero 3000	acqua 5000	pura 5000	princess 4000	multi-S 4000	natura 4000	gallery 3000	dukessa 3000	multi 3000 glass	multi 3000	vela 2000	stilia 2000	prima 2000
<b>A10</b>	●	●	●	●	●	●	●	●	●	●	●		●	●	●
<b>AQ10</b> <sup>2</sup>	●			●											
<b>AQB10</b> <sup>2</sup>	●			●											
<b>ST10</b> <sup>1</sup>	●	●	●	●	●	●	●	●	●	●	●		●		
<b>AG10</b> <sup>1</sup>	●	●	●	●	●	●	●	●	●						
<b>C10</b>		●					●			●	●		●	●	●
<b>CSG10</b>	●	●		●				●							
<b>TS10</b> <sup>1, 2, 3, 4</sup>	●	●	●	●	●	●	●	●	●	●				●	
<b>TG10</b> <sup>1, 2</sup>	●		●	●											
<b>VM10</b> <sup>2, 3, 4</sup>	●	●	●	●	●	●	●	●	●					●	
<b>VB10</b> <sup>1, 2, 3, 4</sup>	●	●	●	●										●	
<b>DA4</b>										●		●			
<b>KA1</b>															●

## 1 Silk-screen print upper glass edge:

These glasses both feature a screen print on the upper edge of around about 55 mm, which conceals the rails and the adhesion points.

## 2 Colour deviation of the screen print:

Due to the nature of satin screen printing ink, the colour of this glass may vary slightly from the image.

## 3 Max width TS10, TQ10, VM10, VQ10:

Please note that the silk-screen print for these panels can be produced at a maximum width of 1400 mm. The centred silkscreen print is 760 mm high in TS10 / TQ10 and 1045 mm in VM10 / VQ10.

## 4 Height differences:

Please note that height alterations of up to 3mm may occur in multi-panel models due to the complexity of ceramic silkscreen printing in single-item production.



# Glass processing

**ProCare:** Our glass manufacturer Saint Gobain has developed a new, innovative glass: “Timeless”. Duka is now offering this refined glass under the name “ProCare”. The water runs off widely on the surface and thus water droplets form hardly on the glass surface. The glass remains permanently transparent.

**Protect,** a water-repellent finish of the glass surface, is applied directly at the factory. The glass is more resistant to limestone, to dirt and impacts on its surface. The cleaning of the glass is much easier and using strong cleaners is less needed.

Available in the following series:

	libero 5000	libero 4000	libero 3000	acqua 5000	pura 5000	princess 4000	multi-S 4000	natura 4000	gallery 3000	dukessa 3000	multi 3000 glass	vela 2000	stila 2000	prima 2000
PROTECT	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PROCARE	●	●	●	●	●	●	●	●	●			●	●	

# Colores perfiles / Profile colours



**SIL** silver matt



**SHL** silver high sheen  
**CSH** chrome/silver high sheen



**SCH** black



**INO** inox



**COP** copper pearl



**BRP** brass pearl



**BLP** black pearl



**WEI** white



**SWZ** negro / black

	libero 5000	libero 4000	libero 3000	acqua 5000	pura 5000	princess 4000	multi-S 4000	natura 4000	gallery 3000	dukessa 3000	multi 3000	vela 2000	stila 2000	prima 2000
<b>SIL</b>		●	●			●	●	●	●	●	●	●	●	●
<b>SHL / CSH</b>	●	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>NER/SCH / SWZ</b>	●		●	●					●				●*	
<b>BCO/WEI</b>							●			● (A-CV)	●		●	●
<b>INO</b>	●			●	●									

<b>ColourArt</b>					●									
------------------	--	--	--	--	---	--	--	--	--	--	--	--	--	--

<b>COP</b>		● (Freestanding doors)	●					●**						
<b>BRP</b>		● (Freestanding doors)	●					●**						
<b>BLP</b>		● (Freestanding doors)	●					●**						

\*with exception of CR-ST3 | CR-FT | CR-VRS4

\*\*with exception of A-VRS

# Handles



multi-S



gallery\*



pura 5000 ColourArt BCU



pura 5000 ColourArt BBR



pura 5000 ColourArt BBL



pura 5000 ColourArt MBL



pura 5000 ColourArt MWH



pura 5000 ColourArt CSH



pura 5000 ColourArt INO



Bow handle natura (1)



Shell handle natura (2)

Handles	Models			
	pura 5000	multi-S 4000	natura 4000	gallery 3000
<b>pura</b>	●			
<b>multi-S</b>		●		
<b>gallery</b>				●
<b>natura</b>			●	○
<b>natura FP</b>		○	●	○

● = Standard handle

○ = Special handle

\* The gallery handle can be installed horizontally or vertically, except for quadrant enclosures (vertical only).

## Towel rail



### **Towel rail PHT-G**

Available for libero 4000 and princess 4000



### **Towel rail Bares**

Available for acqua 5000, libero 5000, natura 4000 and gallery 3000



### **Towel rail Tubes**

Available for multi-S 4000 and libero 4000







## New Service

Every Duka shower enclosure is a beautiful addition to any bathroom that will bring you joy for years to come. If you ever have any questions about your Duka shower enclosure, you will find a **QR code** on the lower outer edge of your Duka shower enclosure. This Code includes an 8-digit number, with which we can identify your product immediately. The QR-code can be read with your smartphone or you can forward the 8-digit number to the retailer where you bought your Duka shower enclosure. Read more about it at **duka.it**. Your Duka “identity card,” or ID number, can be found on the back of the guarantee which is delivered together with the product, or on the label of the packaging.





# Duka Warranty

With your Duka shower enclosure you will receive a comprehensive guarantee on the product. This is explained in the guarantee document which we enclose in the product packaging. On the rear of this certificate you will find an identification number ("ID"). Your "duka" ID allows us to track the progress of the shower enclosure at the factory at any time - from order to delivery. The guarantee includes a 5 year warranty for the client and a 10-year availability guarantee for spare parts. Read more on our website [www.duka.it](http://www.duka.it).

**5 YEAR GUARANTEE**  
**10 YEAR AVAILABILITY GUARANTEE**



Handwriting practice lines consisting of 20 horizontal dotted lines.

Handwriting practice lines consisting of 20 horizontal dotted lines.



Handwriting practice lines consisting of 20 horizontal dotted lines.

Handwriting practice lines consisting of 20 horizontal dotted lines.





For technical reasons, the colours shown may differ from actual colours. Duka AG reserves the right to change its products without obligation of notification or replacement at any time.

### **Duka AG**

Duka-Straße 2, I-39042 Brixen (BZ)

Tel. +39 0472 273 100

**5 YEAR  
GUARANTEE**

**10 YEAR  
AVAILABILITY  
GUARANTEE**

All technical specifications and detailed product information can be found at [duka.it](http://duka.it).

[info@duka.it](mailto:info@duka.it)





[www.duka.it](http://www.duka.it)

