



07.2025

Dukaversum

a universe of possibilities



Step into the world of Duka

We consider ourselves as an interface between architecture, design and technology and set new impulses. Duka offers exclusive shower enclosures in a timeless elegant design language. Our slogan "The shower enclosure" forms the core of our corporate attitude: every Duka is unique and specially adapted to your wishes and requirements. High-quality raw materials combined with innovative technology and exceptional design are the hallmarks of our products. With great enthusiasm, we develop shower enclosures that represent the combination of comfort and versatility, lightness and resistance, luxury and lifestyle. That's why you don't just get an everyday object from us, but **The Shower Enclosure.**





Contents

5000	page 16	acqua 5000
	page 36	pura 5000

4000	page 70	multi-S 4000
	page 100	natura 4000

3000	page 132	gallery 3000
	page 166	dukessa 3000

2000	page 178	vela 2000
	page 190	stila 2000
	page 212	prima 2000

Walk In	page 236	libero 5000
	page 254	libero 4000
	page 276	libero 3000
	page 286	libero 2000

	page 292	Bath-tub solutions
--	----------	---------------------------

Information &	page 306	Wide range of solutions
technology	page 308	The highlights
	page 312	Overview glasses and profiles
	page 322	Service







South Tyrolean roots

We are a South Tyrolean company with strong ties to the tradition and way of life of this land. The geographical position between north and south has shaped our values: Reliability, quality consciousness and willingness to perform combined with creativity, flexibility and sustainability. In 1979 we started as a one-man company in a garage in South Tyrol. Today we are a family business with more than 300 employees. Thanks to quality, ease of assembly and individual solutions, we have been able to steadily expand our production and win new markets.

We care about tomorrow

For Duka, sustainable production and respect for the environment go hand in hand. We focus on quality as well as sustainable economic and working methods along the entire supply chain. That is why we source our materials from the nearest area, manufacture our products in South Tyrol and ensure that we use our resources responsibly.

Duka - a company with character.

Ein Unternehmen aus
südtirol





reddot winner 2024



Duka Design

We have always placed great emphasis on the development and realisation of shower enclosures for every need and taste. This ambition has not gone unnoticed. As a result, our products have won several awards in the areas of innovation and design. Awards such as the Red Dot Design Award, reserved for the most innovative products in the design sector.

What are the benefits for you as a customer ? For Duka, international awards are both a confirmation and an incentive for our daily work. Therefore we continue to do our utmost to design and manufacture unique gems for your bathroom, to make the modern architectural language of our models tangible

Duka - every detail counts!





Duka quality

Quality is our claim – related to ourselves, our products and our partners. Our high quality standards are also reflected in our choice of raw materials. We source both our high-quality glass and aluminium in the closest proximity. The tempered safety glass is produced in our own glassworks near Venice, the cradle of European glass manufacturing. Our aluminium profiles made of special alloys are sourced from an Austrian expert in this field. In our in-house metal processing department, all fittings, hinges and handles are manufactured on high-precision CNC machines.

Duka - a little better every day!






Tailor-made solutions

As a specialist in tailor-made solutions, we are able to fulfil almost any wish. Years of experience are the basis for customised solutions without sacrificing aesthetics and practicality. Forewalls, roof slopes, cut-outs, sloping walls or floor drops - Duka manufactures shower enclosures to fit your bathroom. This means that even larger tolerances on site can be compensated easily, quickly and professionally. It goes without saying, that we deliver our custom-made products in the shortest time possible, something for which we have already received awards.

Duka - your tailor-made specialist!





acqua 5000
pura 5000

Q0-SE2 L + R & Q0-WV2
Special solution - Frameless model
↔ 700 - 1600 mm



acqua 5000

TIMELESS ELEGANCE

8 mm Glass thickness | **2000 mm** Standard height

With acqua 5000, Duka have realised their goal of creating a frameless sliding door. Shining aluminium meets the weightless clarity of glass. Eye-catching form and aesthetics outfit come together to create a unique atmosphere in your bathroom. As a corner or niche, acqua 5000 is available in almost all dimensions.



Wall profile models



Frameless models



duka.it/acqua5000








QR-ST2N R
Sliding door for niche
↔ 970 - 2200 mm



QR-ST2N R + QR-WV2 L

Sliding door in combination with shortened side panel

↔ 970 - 2200 mm



QR-ST3 L

Three-panel sliding door for niche

↔ 1350 - 2200 mm



QR-ST4

Four-panel sliding door for niche

↔ 1445 - 2400 mm





QR-ST2W L + QR-W2 R

Sliding door in combination with side panel

↔ 980 - 2200 mm



QR-ST3 L + QR-W4 R

Three-panel sliding door in combination with side panel

↔ 1350 - 2200 mm



QR-ST4 + QR-W4 R

Four-panel sliding door in combination with side panel

↔ 1445 - 2400 mm





QR-SE2 L+R

Corner entry with 2 sliding doors

↔ 700 - 1600 mm



Q0-ST2N L

Sliding door for niche - Frameless model

↔ 970 - 2200 mm



Q0-ST2N L + Q0-WV2 R

Sliding door in combination with shortened side panel - Frameless model

↔ 970 - 2200 mm



Q0-ST1N L

Single-panel sliding door for niche solutions with front-wall - Frameless model

↔ 520 - 1100 mm



Q0-ST2W L + Q0-W2 R

Sliding door in combination with side panel with towel holder Bares - Frameless model

↔ 970 - 2200 mm





Q0-SE2 L + R

Corner entry with 2 sliding doors - Frameless model

↔ 700 - 1600 mm

Product details acqua 5000




1 - Adhesive technology:

This icon indicates items where the hinges and fasteners are bonded to the glass with the tried-and-tested Duka® UV adhesive technique.

2 - Wall adjustment by means of an adjustable safety glass.

The width adjustment is a design element. The wall adjustment of 25 mm at the side and fixed panels are guaranteed by the "inside the wall profile stepless adjustable tempered glass". The glass is inserted and connected by means of adjusting screws to the wall profile. The adjusting screws allow easy adjustment of the fixed part within a range of 25 mm. The cover is clipped to the outer side. Regardless of the adjustment position, the outer view of the profile remains unchanged.



3 - Automatic Close & Stop:

The glass doors glide gently over the last few inches into “open” or “closed” position - a bonus for any bathroom. The innovative A/C system is available as an optional for all acqua models.

4 - Sliding panels with swivel-release mechanism:

Lower runner guide – by pressing lightly on the runner guide, the sliding panel can be quickly released for ease of cleaning, even between the panels.

5 - New, innovative stability:

it does what it promises: Corner entry in large showers with no ceiling attachment! Our unique solutions are designed to impress!

PR-TW2 L + PR-W R + PR-WV L
Special solution
↔ 600 - 1600 mm



pura 5000

PURE CONTINUITY

8 mm Glass thickness | **2000 mm** Standard height

Do precision, sophisticated technology and sublime aesthetics improve your life? Are harmonious details and smooth interplays of fine materials a recipe for happiness? Yes! True technology shines through in elegance and purity of form. The new colours expand the possibilities for individual design to suit every lifestyle.



Wall profile models



Frameless models



duka.it/pura5000









PR-TN2 R

Pivot door with fix panel for niche

↔ 600 - 1600 mm



PR-TN2 R + PR-WV L

Pivot door with fixed panel in combination with shortened side panel

↔ 600 - 1600 mm



PR-TN3 R

Pivot door with side panel in line and fix panel for niche
↔ 1000 - 2100 mm



PR-TN4

Two-panel pivot door with 2 fix panels for niche
↔ 1200 - 2200 mm





PR-TW2 L + PR-W R

Pivot door with fix panel in combination with side panel

↔ 600 - 1600 mm



PR-T2 E + K

Corner entry with 2 pivot doors and 2 fix panels

↔ 600 - 1600 mm



PR-R2P

Quadrant solution with 2 pivot doors and 2 fix panels

↔ 764 - 1200 mm





P-TN1 R

Pivot door for niche - Frameless model

↔ 500 - 1000 mm



P-TN2 L

Pivot door with fix panel for niche - Frameless model

↔ 600 - 1600 mm



P-FPTN L

Bi-folding door for niche - Frameless model
↔ 500 - 1000 mm



P-TN1 L + P-WV R

Pivot door in combination with
shortened side panel - Frameless model
↔ 500 - 1000 mm





P-TN1X R

Pivot door with side panel in line for niche - Frameless model

↔ 1000 - 2000 mm



P-TN3 L

Pivot door with fix panel and side panel in line for niche - Frameless model

↔ 1000 - 2100 mm



P-TN2P L

Two-panel pivot door with fix panel for niche - Frameless model

↔ 1200 - 2200 mm



P-TN4

Two-panel pivot door with 2 fix panels for niche - Frameless model

↔ 1200 - 2200 mm





P-TW1 R + P-W L

Pivot door in combination with side panel - Frameless model

↔ 500 - 1000 mm



P-TW2 R + P-W L

Pivot door with fix panel in combination with side panel - Frameless model

↔ 600 - 1600 mm



P-FPTW R + P-W L

Bi-folding door in combination with side panel - Frameless model

↔ 500 - 1000 mm



P-PTW R + P-WP L

Two-panel pivot door in combination with side panel - Frameless model

↔ 600 - 1200 mm



P-T1 E + K

Corner entry with 2 pivot doors - Frameless model

↔ 500 - 1000 mm



P-T2 E + K

Corner entry with 2 pivot doors and 2 fix panels - Frameless model

↔ 600 - 1600 mm



P-FPT E + K

Corner entry with 2 bi-folding doors - Frameless model

↔ 500 - 1000 mm



P-R2P

Quadrant solution with 2 pivot doors and 2 fix panels - Frameless model

↔ 754 - 1200 mm

Product details pura 5000




1 - Adhesive technology:

Strict controls during our manufacturing process guarantees long product life and lasting adhesion. Our innovative UV process ensures absolute safety.

2- The drip profile:

is barely visible from the outside, yet offers optimum splash protection.

Product details pura 5000 Wall profile models



1 - Adjustment options:

Wall mounting profile with innovative adjustment mechanism for fixed panels and side walls.

2 - Adjustment options:

Wall mounting profile, minimalist design with all the benefits of adjustability and concealed screw fastenings



Product details pura 5000 Frameless models



1 - Design:

The discreet silk screen print, in the same colour as the hinge and handle, conceals internal wall mountings.



2 - Handle design:

The aluminium handle has been ergonomically designed for a comfortable, safe grip both inside and outside the enclosure.



ColourArt

The ColourArt introduction now **brings colour into the bathroom** and makes the hinges and handles even more contemporary. The hinges and handles available in five new finishes – metal brushed copper, metal brushed brass and metal brushed black (PVD coating, Physical Vapor Deposition, which ensures abrasion, scratch and corrosion resistance), metal matt white, metal matt black (lacquered aluminium) – make it possible to create **different and original sets** for a very personal shower experience.

The profiles of the shower enclosure are in silver high polish and now also in Stainless Steel Look available. On the models without profile there is a short silk screen print on the glass that matches the colour of the hinges and handles.



CSH | Chrome / Silver High Polish



INO | inox



BCU | metal brushed copper



BBR | metal brushed brass



BBL | metal brushed black




MWH | metal matt white



MBL | metal matt black





multi-S 4000
natura 4000

MR-TN2PX L

Pivot door with fix panel and side panel in line for niche
↔ 800 - 2100 mm



reddot winner 2024

multi-S 4000

UNIQUELY VERSATILE

6 mm Glass thickness | **2000 mm** Standard height

Experience the individuality of the new multi-S 4000. Combine functionality and aesthetics with innovation, ease of care and sublime elegance. Thanks to its exceptional flexibility and variety, the new multi-S 4000 is a symbol of uniqueness! The new model range creates exceptional and personalised solutions that can be adapted to any situation, no matter how complex they are.



duka.it/multi-S4000







MR-PTN2

Two-panel swing door for niche

↔ 500 - 1600 mm



Special solution



MR-TN1P L
Pivot door for niche
↔ 500 - 1000 mm



MR-TN2P L

Swing door with fix panel for niche

↔ 650 - 1800 mm





MR-TN1PX R

Pivot door with side panel in line for niche

↔ 700 - 2100 mm



MR-PTN3 L

Two-panel pivot door with fix panel for niche
↔ 700 - 2100 mm



MR-PTN4

Two-panel pivot door with 2 fix panels for niche
↔ 1000 - 2200 mm



MR-FPN4

Two-panel bi-folding doors for niche

↔ 1000 - 2200 mm



MR-FPN L

Bi-folding door for niche

↔ 500 - 1500 mm



MR-FPN L + MR-WV R

Bi-folding door in combination with shortened side panel

↔ 500 - 1500 mm





MR-FFPN L

Bi-folding door with fix panel for niche

↔ 770 - 1600 mm



MR-PTW2 + MR-WP L

Two-panel pivot door in combination with side panel

↔ 500 - 1600 mm



MR-TW1P L + MR-W R

Pivot door in combination with side panel
↔ 500 - 1000 mm



MR-TW2P L + MR-W R

Pivot door with fix panel in combination with side panel
↔ 650 - 1800 mm





MR-FFPW L + MR-W R

Bi-folding door with fix panel in combination with side panel

↔ 780 - 1600 mm



MR-FPW L + MR-W R

Bi-folding door in combination with side panel
↔ 500 - 1500 mm



MR-FPE L/R

Corner entry with 2 bi-folding doors
↔ 500 - 1500 mm



MR-TE1P L/R
Corner entry with 2 pivot doors
↔ 500 - 1000 mm



MR-TE2P L/R
Corner entry with 2 pivot doors and 2 fix panels
↔ 650 - 1800 mm



MR-FFPE L/R

Corner entry with 2 bi-folding doors and 2 fix panels

↔ 850 - 1600 mm



MR-F3S L

Pentagonal shower enclosure with pivot door

↔ 800 - 1100 mm



MR-F4P

Pentagonal shower enclosure with two-panel
pivot door
↔ 800 - 1100 mm

Special solution



MR-R4P

Quadrant door with 2 pivot doors and 2 fix panels

↔ 800 - 1200 mm



MR-R2P

Quadrant door with 2 pivot doors
↔ 784 - 1004 mm



MR-FFPU

"U" cabin with 2 bi-folding doors and 2 fix panels
↔ 700 - 900 mm




MR-FFPU

"U" cabin with 2 bi-folding doors and 2 fix panels

↔ 700 - 900 mm



Product details multi-S 4000



1 - Sleek shapes:

the cylindrical tubular hinge has been reduced to a minimum, allowing the transparency of the glass to take centre stage. Minimalistic in appearance, great in functionality: the proven "auto close" closing system allows the pivot elements to engage exactly where required.

2 - Visual Harmony:


the support bar is transformed in appearance by wrapping around the glass and the wall with a strength that exudes security and with no screws in sight. In addition, the bar is flush with the height of the cabin, so tiling at shower cabin height is not an obstruction to a simple and an easy installation.

3 - Lightness and harmony:


the hinge now takes on a new, more fluid form in harmony with the soft lines of the model. This element, with its minimal and light design, retains its intrinsic functionality, but now does so with amplified beauty. The hinge allows a 180° outward opening.

4 - Shiny aluminium accents:

the magnetic strip disappears discreetly inside the shut-off profiles, leaving only the shine of the aluminium visible. This improves the aesthetics of the cabin without restricting its functionality. The extremely thin layer of aluminium over the magnet ensures a high level of effectiveness.



Product details multi-S 4000



1 - The new aluminum standard knob handle becomes an eye-catcher. The distinctive character of this handle renews itself, aligning with the modern spirit-of-the-times and providing new tactile experiences. Its flattering structure accompanies the handle with unparalleled naturalness, adding a touch of class to the shower enclosure.

2 - The optional handle with its classic shape embodies timeless elegance. The square shape and the recessed grip offer a comfortable and stable grip.

3 - With its special shape, the standard handle for folding pendant solutions focuses not only on modern design, but also on ergonomics. The Soft-Grip inlay echoes the haptic structure of the knob handle and thus contributes to an even better grip and a timeless and unmistakable design.

A-E2-LR
Corner entry with 2 sliding doors without lower horizontal profile
↔ 550 - 1200 mm



New standard height for all articles: 2000 mm

New special height for articles in SIL and CSH up to 2100 mm

Special height for articles in BLP, COP, BRP and INO up to 2000 mm

natura 4000

ALL NATURAL

6 mm Glass thickness | **2000 mm** Standard height

Duka confirm once more their skilled expertise in developing high-performance, exceptionally comfortable products. The contemporary spirit of the natura 4000 rounds out this high-end series, embodied in a captivating product which allows the customer to enjoy the pleasure of a true shower experience, day after day after day. The series is available in three new, trendy colours: copper pearl, brass pearl and black pearl.



duka.it/natura4000







A-ST2N L

Sliding door without lower horizontal profile for niche

↔ 870 - 1800 mm



AR-ST2N L

Sliding door with lower horizontal profile for niche

↔ 870 - 1800 mm



AR-ST4

Four-panel sliding door with lower horizontal profile
↔ 1315 - 2000 mm



A-ST4

Four-panel sliding door without lower horizontal profile
↔ 1315 - 2000 mm



A-DTN L

Revolving door for niche

↔ 600 - 1000 mm



A-FPN L

Bi-folding door for niche

↔ 600 - 1200 mm



AR-DTN L
Revolving door for niche
↔ 600 - 1000 mm



AR-PTN L
Pivot door for niche
↔ 550 - 1000 mm



AR-FPN L

Bi-folding door for niche

↔ 600 - 1200 mm



AR-PTF L

Pivot door with side panel in line for niche

↔ 959 - 1800 mm





AR-DTW R + A-S DT L

Revolving door in combination with side panel

↔ 600 - 1000 mm



AR-DTW L + A-S DT R

Revolving door in combination with side panel

↔ 600 - 1000 mm



AR-PTW R + A-S DT L

Pivot door in combination with side panel

↔ 550 - 1000 mm





AR-FPW R + A-S DT L

Bi-folding door in combination with side panel

↔ 600 - 1200 mm



AR-PTF L + A-SV R

Pivot door with side panel in line in combination with shortened side panel

↔ 959 - 1800 mm



A-ST4 + A-S4

Four-panel sliding door without lower horizontal profile in combination with side panel
 ↔ 1315 - 2000 mm



AR-ST4 + A-S4

Four-panel sliding door with lower horizontal profile in combination with side panel
 ↔ 1315 - 2000 mm



A-EDT L+R

Corner entry with 2 revolving doors

↔ 600 - 1000 mm



A-EFP L+R

Corner entry with 2 bi-folding doors

↔ 600 - 1200 mm



AR-ST2W L + A-S ST R

Sliding door with lower horizontal profile in combination with side panel

↔ 870 - 1800 mm



A-ST2W L + A-S ST R

Sliding door without lower horizontal profile in combination with side panel

↔ 870 - 1800 mm



AR-E2 L+R

Corner entry with 2 sliding doors with lower horizontal profile

↔ 550 - 1200 mm



A-E2 L+R

Corner entry with 2 sliding doors without lower horizontal profile

↔ 550 - 1200 mm





A-VRS

Quadrant door with 2 sliding doors

↔ 765 - 1200 mm



Product details natura 4000 - sliding systems



1 - Magnetized, releasable sliding elements

- The symbiosis of the protection strip and the new, efficient easy-care seal allows a maximum splash protection. The lower runner system conceals a typical DuKa-innovation: with the assistance of magnetic support the door glides sturdily and calmly on a guiding hook, which can be released in order to clean the door.

2 - Automatic Close & Stop (ACS) / Automatic Close (AC):

The sliding door glides smoothly along the runner to the "open" or "closed" position (ACS). Also available with Automatic Close (AC) only. Either one of these innovative systems can be ordered as an optional.

3 - Sliding systems:

The fixed panels of the corner entry model are available with or without a horizontal profile.

4 - Girofix:

Wall attachment with the new, improved girofix system: quick, easy and convenient.



Product details natura 4000 - pivot, swing and bi-fold doors



1 - Hinge:

The intelligent hinge of the bi-fold pivot door with a 180° opening, is fitted with an AC-mechanism.

2 - Design:

the design of the hinge with its offset pivot makes this model particularly flexible. It can be adjusted to adapt to external obstructions (e.g. towel warmers) or internal (mixers or taps) without foregoing wide entrance space and transparency of the surface.

3 - Mounting:

The wall attachment profile compensates perfectly by means of its innovative, telescopic adjustment mechanism.

4 - Adhesive technology:

The hinges are attached directly to the glass by means of the tried-and-tested Duka UV adhesive technology. The result: completely smooth inner surface of the glass for outstanding beauty and ease of cleaning.



natura 4000 - Colour Up Your Life

The popular natura 4000 model series is becoming even more desirable. It is available in three new, trendy colours: copper pearl, brass pearl and black pearl. The Pearl-colours are available for our products natura 4000, libero 4000 (freestanding doors only) and libero 3000. Depending on the incidence of light, the colours of the new surfaces change shades. The special luminosity and brilliance of these colours give the products a warm radiance and thus a noble and pleasant aura. Whichever solution you choose, with the endless possibilities for combination and customisation, you can give your bathroom just the look you want.



COP | copper pearl

The colour copper adds a classic charm to the room.



BRP | brass pearl


The colour brass conveys sophistication and luxury



BLP | black pearl

Black creates a pleasant and friendly ambience



The image features a minimalist design with a dark blue-grey vertical bar on the left side. Several thin, dark vertical bars of varying heights are positioned across the top of the page. In the lower right area, the text 'gallery 3000' and 'dukessa 3000' is displayed in a clean, sans-serif font.

gallery 3000
dukessa 3000

GR-TN2 L
Swing door with fix panel for niche
↔ 600 - 1600 mm



gallery 3000

LIVING TRADITION IN A MODERN WAY



**Wall profile
models**



**Frameless
models**




**Flush-mounted
models**

6 mm Glass thickness | **2000 mm** Standard height

Modern, smart and innovative. Three different installation methods accentuate the flexibility of gallery 3000. Alongside the traditional wall profile model, the range now includes wall-mounted hinge models and the flush-mounted profile.



duka.it/gallery3000







GR-TN2 L + GR-WV2 R

Pivot door with fix panel in combination with shortened side panel

↔ 600 - 1600 mm



GR-TN3 L

Pivot door with fix panel and side panel in line for niche

↔ 1000 - 2100 mm





GR-TW2 R + GR-W2 L

Pivot door with fix panel in combination with side panel

↔ 600 - 1600 mm



GR-TE2 L+R

Corner entry with 2 pivot doors and 2 fix panels

↔ 600 - 1600 mm



GR-R2P

Quadrant solution with 2 pivot doors and 2 fix panels

↔ 780 - 1200 mm





G0-TN1 L

Pivot door for niche - Frameless model

↔ 400 - 1020 mm



G0-TN2 L + G0-WV2 R

Pivot door with fix panel in combination with shortened side panel - Frameless model

↔ 600 - 1600 mm



G0-PTN

Two-panel swing door for niche - Frameless model

↔ 600 - 1220 mm



G0-TN1X L

Pivot door with side panel in line for niche - Frameless model

↔ 800 - 1800 mm



G0-TN3 L

Pivot door with fix panel and side panel in line for niche - Frameless model

↔ 1000 - 2100 mm



G0-TW1 R + G0-W2 L

Pivot door in combination with side panel for niche - Frameless model

↔ 400 - 1020 mm



G0-TW2 R + G0-W2 L

Pivot door with fix panel in combination with side panel - Frameless model

↔ 600 - 1600 mm



G0-PTW L + G0-WP R

Two-panel pivot door in combination with side panel - Frameless model

↔ 600 - 1220 mm



G0-TE1 L+R

Corner entry with 2 pivot doors - Frameless model

↔ 400 - 1020 mm



G0-TE2 L+R

Corner entry with 2 pivot doors and 2 fix panels - Frameless model

↔ 600 - 1600 mm



G0-R2P

Quadrant solution with 2 pivot doors and 2 fix panels - Frameless model

↔ 780 - 1200 mm





GU-TN2 L

Swing door with fix panels for niche - Flush-mounted model

↔ 600 - 1600 mm



GU-TN1X R

Pivot door with side panel in line for niche - Flush-mounted model

↔ 800 - 1800 mm



GU-TN3 L

Pivot door with fix panel and side panel in line for niche - Flush-mounted model

↔ 1000 - 2100 mm





GU-TW2 R + GU-W2 L

Pivot door with fix panel in combination with side panel - Flush-mounted model

↔ 600 - 1600 mm



G0-PTW L + GU-WP R

Two-panel pivot door in combination with side panel - Flush-mounted model

↔ 600 - 1220 mm



GU-TE2 L+R

Corner entry with 2 pivot doors and 2 fix panels - Flush-mounted model

↔ 600 - 1600 mm





GU-R2P

Quadrant solution with 2 pivot doors and 2 fix panels - Flush-mounted model

↔ 780 - 1200 mm



Product details gallery 3000



1 - UV adhesive technology – brilliant:

The hinges are attached directly to the glass by means of the tried-and-tested Duka UV adhesive technology. The inner surface of the glass is completely smooth, giving you both clear, uncluttered beauty and outstanding ease of cleaning.

2 - Horizontal support:

The horizontal support bars are, likewise, in complete aesthetic harmony with the linear features of the handle and profiles, and play their own part in enhancing the elegance of your shower enclosure. The minimum width of 11 mm guarantees absolute stability with minimum visual impact.

3 - 180° hinges:

The 90° bi-directional opening ensures easy access to the shower, even in smaller bathrooms.

Adjustable Automatic Close System: With the tried-and-tested Automatic Close System, the doors glide smoothly along the last few centimetres and draw gently into the closed position.

4 - Magnetic aluminium profile:

A thin, aluminium profile with a magnetic insert is affixed to the vertical edge of the glass. The aluminium profile is calibrated to hold fast to the glass without adhesives, and keeps the magnet firmly in place when the door is in movement or during cleaning.



Product details gallery 3000



5 - Handle:

The handle is the result of practicality blended with ergonomic performance and design, and has been precision-designed to match the functional and aesthetic features of the door itself; the shape is in perfect harmony with the regular geometric lines of the enclosure. The rubber element within the handle in the inner side of the door ensures top functionality, particularly when in contact with water. For doors without a fixed frame component, the outer side of the handle is fitted with a buffer to protect the door, wall and furnishings in case of contact.

6 - The attractive towel

rail combines beautifully with the elegance of the design.

7 - The 4★ seal system:

The seal system has also been integrated into the gallery 3000 for even greater ease of cleaning and maintenance. The 4 ★ seal system is fitted to the base of the glass panelling as a discreet aluminium profile together with a PVC seal insert. The inner deflector and soft flaps of the seal strip keep the water firmly in check. The seal strip can be removed quickly and easily for cleaning or replacement.

A-CT3 + A-CS
Three-panel sliding door in combination with side panel
↔ 650 - 1900 mm



dukessa 3000

DESIGNED FOR THE SAKE OF YOUR PLEASURE

3 mm Glass thickness | **1900 mm** Standard height

Our model series dukessa 3000, in real or synthetic glass, reflects our quality consciousness. The result is a harmonious, uncompromising product that guarantees unparalleled joy in showering, every single day.



duka.it/dukessa3000







A-CT3

Three-panel sliding door for niche
↔ 650 - 1900 mm



A-CT3 + A-CSP

Three-panel sliding door in combination with shortened side panel
↔ 650 - 1900 mm



A-CEK2
Corner entry with 2 sliding doors
↔ 550 - 1250 mm



A-CEK3
Corner entry with 2 three-panel sliding doors
↔ 650 - 1250 mm



A-CE3 (B) + A-CK2 (3)

Corner entry with 2 sliding doors with two- and three-panel sliding door

↔ See price list for dimensions



A-CR

Quadrant door with 4 sliding elements and 2 fixed panels

↔ See price list for dimensions






A-CV

Quadrant door with 2 sliding elements and 2 fixed panels

↔ See price list for dimensions



Product details dukessa 3000



1 - Telescopic screw:

The advanced technology of our adjustable wall mounting profiles by means of telescopic screw not only guarantees secure closure on sloping walls, but also simplifies assembly considerably and eliminates visible screw fastenings.

2 - Girofix:

The innovation in assembly: the “girofix” attachment system for corner entrances. This technique simplifies installation and eliminates visible screw fastenings.

3 - Runners:

Consistent use of maintenance-free ball bearing technology and intelligent runner technology with concave wheels allows for outstanding ease of use and an ultra-smooth glide. They can be infinitely adjusted, guaranteeing perfect sliding and closing of the door.

4 - Swivel-release mechanism:

The individual sliding panels can be infinitely adjusted, thus guaranteeing perfect sliding and closing of the door. They can also be swung out for ease of cleaning.



The image features a minimalist design with a dark blue vertical bar on the left side. Several thin, dark blue vertical bars of varying heights are positioned across the top of the page. In the lower right area, there is a list of three items: 'vela 2000', 'stila 2000', and 'prima 2000'.

vela 2000
stila 2000
prima 2000

V6PT
2-panel swing door for niche
↔ 500 - 1400 mm



vela 2000

PERFECTION

6 mm Glass thickness | **1950 mm** Standard height

Perfection from the moment of installation to the joy of showering, every single day. Through harmonious, classic, practical design and simple, time-saving installation, the vela 2000 is a quality product that guarantees exceptional functionality for years to come.



duka.it/vela2000







V6ST L
Single-panel pivot door for niche
↔ 500 - 1000 mm



V6TW L
Swing door with fix panel for niche
↔ 500 - 1400 mm



V6FST L

Pivot door with side panel in line for niche

↔ 1000 - 2000 mm



V6PTF L

Two-panel pivot door with fix panel for niche
↔ 1000 - 2000 mm



V6TW L + V6SV

Pivot door with fix panel in combination with shortened side panel
↔ 500 - 1400 mm



V6TW L + V6S

Pivot door with fix panel in
combination with side panel
↔ 500 - 1400 mm



V6PT + V6S

Two-panel pivot door in combination with side panel
↔ 500 - 1400 mm



V6 E+K

Corner entry with 2 pivot doors and 2 fix panels

↔ 500 - 1600 mm



V6RP

Quadrant solution with 2 pivot doors and 2 fixe panels

↔ See price list for dimensions



V6RS L

Quadrant solution with swing door

↔ See price list for dimensions



V6FS L

Pentagonal solution with pivot door

↔ See price list for dimensions



Product details vela 2000



1 - Design:

The doors open inwards as well as outwards and provide maximum space, even in smaller showers.

2 - Support:

The adjustable support connecting the fixed panel and side wall is stable and easy to install.

3 - Design:

The linear integrated handle with magnetic closure and the use of high-quality materials distinguish the vela 2000.

4 - Design:

In addition to the raise/lower mechanism, the closure point of the movable panel can also be adjusted by selecting the locking point.

C6-FPW L + C6-S
Bi-folding door in combination with side panel
↔ 600 - 1200 mm



stila 2000


THE DESIGN OF EVERYDAY THINGS

6 mm Glass thickness | **1950 mm** Standard height

The design of the new stila 2000 impresses with its clarity, simplicity and contemporary feel. Consistent lines, harmonious and balanced to the last detail, bring the modern architectural language of these models to life. The range of the already versatile stila 2000 model series has been extended to include the colour black.



duka.it/stila2000







CR-PT2
Two-panel pivot door for niche
↔ 600 - 1100 mm



CR-PT1 L
Pivot door for niche
↔ 500 - 1000 mm



CR-FT L

Folding door for niche

↔ 600 - 1000 mm



C6-FPN R

Bi-folding door for niche

↔ 600 - 1200 mm



C6-FPW L + C6-SV R

Bi-folding door in combination with shortened side panel

↔ 600 - 1200 mm



CR-ST2 L

Sliding door for niche with lower horizontal profile for niche

↔ 870 - 1600 mm



C6-ST2N L

Sliding door without lower horizontal profile for niche

↔ 870 - 1600 mm



CR-ST2 R + CR-SV L

Sliding door in combination with shortened side panel

↔ 870 - 1600 mm



CR-ST3 L

Three-panel sliding door for niche

↔ 725 - 1200 mm



CR-PT2 R + CR-S

Two-panel pivot door in combination with side panel

↔ 600 - 1100 mm



CR-PT1 L + CR-S

Pivot door in combination with side panel

↔ 500 - 1000 mm



CR-FT R + CR-S

Folding door in combination with side panel

↔ 600 - 1000 mm



C6-ST2W L + C6-S ST R

Sliding door without lower horizontal profile in combination with side panel

↔ 870 - 1600 mm



CR-ST3 L + CR-S

Three-panel sliding door in combination with side panel

↔ 725 - 1200 mm



C6-FPE L+R

Corner entry with 2 bi-folding doors

↔ 600 - 1200 mm



CR-E2 + D2

Corner entry with 2 sliding doors and with lower horizontal profile

↔ 600 - 1200 mm



C6-E2 + D2

Corner entry with 2 sliding doors without lower horizontal profile

↔ 670 - 1200 mm





CR-VRS4

Quadrant solution with 2 sliding doors

↔ See price list for dimensions



1



1 - Recessed hinge technique:

Items with this marking have hinges, which are screwed to the glass, nevertheless remains the glass smooth on the inside: the glass surface and hinge are in line on the inside of the shower enclosure.



2



2 - Additional handle:

Folding doors feature an additional handle between the folding panels, inside and outside, for easier opening of the doors.

Product details stila 2000



3 - Without lower horizontal profile: The latest version of stila 2000 models without lower horizontal profiles rounds off the product portfolio and meets all architectural requirements for the modern bathroom. In updating our design we have also enhanced the practical features of this shower enclosure, which now features a simplified entrance, ease of cleaning and improved releasable sliding elements.

4 - Runners: The runners can be easily adjusted to ensure a perfect function - time after time.

5 - Up and down mechanism: The pivot and bi-fold models feature an infinitely adjustable raise/lower mechanism for precision setting of the 90° open and closed position of the doors.

6 - Swivel release mechanism: Its winningly simple design features a release mechanism integrated into the outer side. When activated, the doors swivel freely, allowing for remarkable ease of cleaning.

6A-4ST3

Three-panel sliding door for niche

↔ 650 - 1200 mm



prima 2000

REFRESHING CONVENIENCE

4 mm Glass thickness for articles with code 6A

3 mm Glass thickness for other articles

1950 mm Standard height for articles with code 6A

1900 mm Standard height for other articles

Contemporary, uniform design throughout the series and intelligent technology distinguish the new prima 2000 shower enclosure as a genuine Duka product with all the advantages for which we are so well-known. Available in safety glass or in elegant methacrylate panels.



duka.it/prima2000







6A-4ST2

Sliding door for niche

↔ 850 - 1400 mm



6A-4PT2

Two-panel pivot door for niche

↔ 650 - 1100 mm



6A-4PT1L

Pivot door for niche

↔ 450 - 900 mm



6A-4ST3 + 6A-4S

Three-panel sliding door in combination with side panel

↔ 650 - 1200 mm



6A-4ST2 + 6A-4S

Sliding door in combination with side panel

↔ 850 - 1400 mm



6A-4PT2 + 6A-4S

Two-panel pivot door in combination with side panel

↔ 650 - 1100 mm



6A-4PT1 L + 6A-4S

Pivot door in combination with side panel

↔ 450 - 900 mm



6S-4E2

Corner entry with 2 sliding doors

↔ 600 - 1200 mm



CUST / MUST

Three-panel sliding door for niche
↔ 650 - 1100 mm



CUT

Single-panel pivot door for niche
↔ 450 - 900 mm



CUFT / MUFT

Folding door for niche
↔ 550 - 900 mm



CUT + CUSP

Pivot door in combination with
shortened side panel
↔ 450 - 900 mm



CUPT / MUPT

Two-panel swing door for niche

↔ 500 - 1100 mm



CUT + CUS

Pivot door in combination with side panel

↔ 450 - 900 mm



CUST L / MUST L + CUS / MUS

Three-panel sliding door in combination with
side panel

↔ 860 - 1400 mm



CUED2 / MUED2

Corner entry with 2 sliding doors

↔ 600 - 1000 mm



CUED3 / MUED3

Corner entry with 2 three-panel sliding doors

↔ 600 - 1000 mm



CUV / MUV

Quadrant solution with 2 sliding doors

↔ See price list for dimensions



CUR / MUR

Quadrant solution with 4 sliding elements and 2 fixed panels

↔ See price list for dimensions



CUFS

Pentagonal solution with pivot door
and 2 fixed panels

↔ See price list for dimensions



CUFP / MUFP

Pentagonal solution with 2 pivot doors and 2
fixed panels

↔ See price list for dimensions



Product-details prima 2000 - for articles with code 6A



1 - Releasable sliding elements: Shower enclosures with releasable sliding elements are marked with this symbol. Your advantage: easy cleaning, also between the glass panels!

2 - Rollers: the ball-bearing rollers offer a height adjustment of ± 2.5 mm, ensuring perfect door alignment at all times.

3 - Adjustment range: by combining a 30 mm adjustment range on the enclosure with a 36 mm widening profile, any width can be supplied from stock.

4 - Minimalist design: the solid running track, with a height of just 35.5 mm, perfectly complements the product.



1 - Elegant magnetic handle strip in high-quality aluminium:

- fine adjustment for perfect closing of the door
- the high-quality aluminum prevents “yellowing”, offers a comfortable grip, and allows for easy cleaning of the glass
- with its linear and elegant design, the handle profile creates a minimalist aesthetic while ensuring maximum accessibility – ‘form follows function’
- maximum glass transparency

2 - Up and down mechanism: Doors with this up and down mechanism are raised automatically by a few mm when opened. The vertical sealing is protected from prolonged abrasion and the door closes, the last 15 mm by itself.

Product details prima 2000 - for the remaining articles



1 - Design: Smooth-running, height-adjustable door panels offer many years of perfect function.

2 - Adjustment options: The pivot and bi-folding doors can be opened inwards and outwards. In addition to the raise/lower mechanism, the closure point of the movable panel can also be adjusted by selecting the locking point.

3 - Runners: All articles bearing this icon feature sliding elements with height-adjustable rollers, guaranteeing optimal adjustment options for perfect sliding and closing of the doors.

4 - Releasable sliding elements: Shower enclosures bearing this icon feature sliding doors with individual panels which can be released and moved independently of each other. This greatly simplifies cleaning of the overlapping parts of the doors.





libero 5000

libero 4000

libero 3000

FR-WN R
Walk In shower enclosure for niche
↔ 150 - 1500 mm



libero 5000


Side panels & shower islands



**Wall profile
models**



**Frameless
models**



**Flush-mounted
models**



duka.it/libero5000









F-WN R

Walk In shower enclosure for niche - Frameless model

↔ 150 - 1500 mm



FR-WF L
Freestanding side panel
↔ 150 - 1800 mm



F-WF L
Freestanding side panel - Frameless model
↔ 150 - 1800 mm



FU-WF L

Freestanding side panel - Flush-mounted models

↔ 150 - 1800 mm



FR-WW R + FR-WK L

Walk In shower enclosure in combination with side panel

↔ 150 - 1500 mm



F-WW R + F-WK L

Walk In shower enclosure in combination with side panel - Frameless model

↔ 150 - 1500 mm

FR-G2N L
Freestanding sliding door INLAB for niche
↔ 900 - 2000 mm



libero 5000

Walk In sliding doors

8 mm Glass thickness | 2000 mm Standard height

Spacious shower enclosures that can be customised in shape and form, embodying the central concepts of ritual and relaxation. The new version of libero 5000 Inlab has been designed to provide a customizable and flexible solution for complex environments with irregular features such as wall cut-outs, windows inside the shower area and particular wall protrusions.



Wall profile
models



Frameless
models



Flush-mounted
models



duka.it/libero5000







F-G2N L

Freestanding sliding door INLAB for niche - Frameless model

↔ 900 - 2000 mm



FU-G2N R

Freestanding sliding door INLAB for niche - Flush-mounted model

↔ 900 - 2000 mm



FR-G2 R
Freestanding sliding door INLAB
↔ 900 - 2000 mm



F-G2 R

Freestanding sliding door INLAB - Frameless model

↔ 900 - 2000 mm





FU-G2 L

Freestanding sliding door INLAB - Flush-mounted model

↔ 900 - 2000 mm



Product details libero 5000 Inlab



1 - Automatic Close & Stop:

The glass doors glide gently over the last few inches into “open” or “closed” position - a bonus for any bathroom.

2 - Sliding panels with swivel-release mechanism:

Lower runner guide – by pressing lightly on the runner guide, the sliding panel can be quickly released for ease of cleaning, even between the panels.

3 - The 5-star seal system:

The discreet aluminium profile is attached flush to the base of the glass with no protrusion, cutting potential dirt residue to a minimum. The PVC seal insert (similarly, with no protrusion) features an inner deflector and soft, downward-angled PVC flaps.

PE 8W M
Freestanding side panel, Glas 8 mm
↔ 600 - 1600 mm



libero 4000

Side panels & shower islands



duka.it/libero4000







PE 6TF2P L + PE 6WK TF

Walk In solution with one pivot element 180° in combination with side panel - glass 6 mm

↔ 1000 - 1800 mm



PE 6TF2P L

Walk In solution with one pivot element 180° for niche - glass 6 mm

↔ 1000 -1800 mm



PE 6W F

Freestanding side panel - glass 6 mm

↔ 200 - 1200 mm

PE 8W F

Freestanding side panel - glass 8 mm

↔ 200 - 1420 mm



PU 6W F

Freestanding side panel - glass 6 mm - Flush-mounted model
↔ 200 - 1200 mm

PU 8W F

Freestanding side panel - glass 8 mm - Flush-mounted model
↔ 200 - 1420 mm





PE 6PSF R

Freestanding side panel with towel holder, glass 6 mm
↔ 500 - 1000 mm

PE 8PSF R

Freestanding side panel with towel holder, glass 8 mm
↔ 500 - 1400 mm



Product details libero 4000



1 - Sleek shapes: the cylindrical tubular hinge has been reduced to a minimum, allowing the transparency of the glass to take centre stage. Minimalistic in appearance, great in functionality: the proven „auto close“ closing system allows the pivot elements to engage exactly where required.

2 - The support bar is transformed in appearance by wrapping around the glass and the wall with a strength that exudes security and with no screws in sight. In addition, the bar is flush with the height of the cabin, so tiling at shower cabin height is not an obstruction to a simple and an easy installation.

PE 6ST2F L
Freestanding sliding door, glass 6 mm
↔ 870 - 1600 mm



libero 4000

Freestanding doors

6 mm / 8 mm Glass thickness | 2000 mm Standard height

Forget about compromise and take your pick from a variety of solutions to create your own personal haven of comfort. libero 4000 is available in three new, trendy colours: copper pearl, brass pearl and black pearl.



duka.it/libero4000







PE 6FP

Freestanding bi-folding door - glass 6 mm

↔ 750 - 1200 mm



PE 6DT

Freestanding revolving door - glass 6 mm

↔ 600 - 1000 mm



PE 6FP F L

Freestanding bi-folding door - glass 6 mm

↔ 600 - 1400 mm



PE 6FFP F L

Freestanding bi-folding door with fixed element - glass 6 mm

↔ 780 - 1600 mm





PE 6TF1P R

Freestanding pivot door - glass 6 mm

↔ 600 - 1000 mm



Product details libero 4000



1 - Magnetized, releasable sliding elements - The symbiosis of the protection strip and the new, efficient easy-care seal allows a maximum splash protection. The lower runner system conceals a typical Duka-innovation: with the assistance of magnetic support the door glides sturdily and calmly on a guiding hook, which can be released in order to clean the door.

2 - Sliding elements with height-adjustable rollers guarantee optimal adjustment options for perfect sliding and closing of the doors.

3 - Automatic Close & Stop: The glass doors glide gently over the last few inches into "open" or "closed" position - a bonus for any bathroom. The innovative A/C system is available as an optional for all acqua models.



Product details libero 4000



1 - Sleek shapes: the cylindrical tubular hinge has been reduced to a minimum, allowing the transparency of the glass to take centre stage. Minimalistic in appearance, great in functionality: the proven „auto close“ closing system allows the pivot elements to engage exactly where required.

2 - The support bar is transformed in appearance by wrapping around the glass and the wall with a strength that exudes security and with no screws in sight. In addition, the bar is flush with the height of the cabin, so tiling at shower cabin height is not an obstruction to a simple and an easy installation.

3 - With several solutions, the door can be adjusted to the millimetre using an adjustment wheel - even years later. multi-S 4000: well thought-out from installation to application.

6GW2F R 
Freestanding side panel - glass 6 mm
↔ 200 - 1200 mm

8GW2F R
Freestanding side panel - glass 8 mm
↔ 200 - 1400 mm

libero 3000

CREATING NEW ROOMS

6 mm / 8 mm Glass thickness | **2000 mm** Standard height
libero 3000 offers an array of stand-alone solutions with a strong focus on aesthetics, featuring black geometric silkscreen print of the “industrial style” and the new Pearl-colours. The line offers maximum versatility in creating Walk In spaces with top-quality, safe, reliable products.



duka.it/libero3000







6GOW2F

Freestanding side panel - glass 6 mm - Frameless model

↔ 200 - 1200 mm



8G0W2F

Freestanding side panel - glass 8 mm - Frameless model

↔ 200 - 1400 mm



6GW2F R

Freestanding side panel - glass 6 mm
↔ 600 - 1200 mm

8GW2F R

Freestanding side panel - glass 8 mm
↔ 600 - 1600 mm



6GW2RF R

Freestanding side panel - glass 6 mm
↔ 300 - 1200 mm

8GW2RF R

Freestanding side panel - glass 8 mm
↔ 300 - 1400 mm





6GWW2F L

Walk In shower enclosure - glass 6 mm

↔ 600 - 1200 mm



6GTF2P L

Freestanding pivot door with fixed element - glass 6 mm

↔ 600 - 1600 mm

Détails du produit libero 3000



1 - Hinges: the hinges are bonded to the glass by means of the proven Duka UV bonding technique. The inner surfaces of the glass thus remain intact, smooth, for easy cleaning and clutter-free viewing. (6GTF2P L/R)



2 - Design: The silk screen is available in 6 or 8 squares, always and only in black, in both 6 and 8 mm thick glass, enclosed within aluminium profiles also in black, in a perfect match. The profiles guarantee both stability and durability, protecting the silk screen itself (6/8GW2F L/R).

21- 6ST2F R
Freestanding sliding door, glass 6 mm
↔ 870 - 1600 mm



libero 2000

THE NEW RELIABLE WALK IN SERIES

6 mm / Glass thickness | **2000 mm** Standard height

With the new libero 2000 model range, we are able to combine modern design with high functionality. The series builds on the technology of the stila 2000 series to offer a sliding door with proven technical capabilities. This open and spacious solution impresses with its clear, minimalist look.



duka.it/libero2000







21-6ST2F R

Freestanding sliding door, glass 6 mm

↔ 870 - 1600 mm

Product details libero 2000



1 - Sliding elements with height-adjustable rollers offer optimal adjustment options for perfect sliding and closing of the doors.

2 - Swivel mechanism: The symbiosis of the protection strip and the new, efficient easy-care seal allows a maximum splash protection. The lower runner system conceals a typical Duka-innovation: with the assistance of magnetic support the door glides sturdily and calmly on a guiding hook, which can be released in order to clean the door.

3 - Automatic Close & Stop: The glass doors glide gently over the last few inches into "open" or "closed" position - a bonus for any bathroom. The innovative A/C system is available as an optional for all acqua models.





Bath-tub solutions

MR-BFP R
Bi-folding door for bathtub
↔ 500 - 1600 mm



Bath-tub solutions

Showering and bathing in one. The one-, two- or multipart folding screen will instantly transform your bathtub into a shower enclosure. Choose from our various screens in safety glass or methacrylate.

3 mm / 6 mm Glass thickness

multi-S 4000: **1500 mm** Standard height

dukessa 3000: **1650 mm** Standard height

multi 3000: **1400 mm** St. height



multi-S4000



dukessa3000



multi3000







MR-BT1P L

Pivot door for bathtub

↔ 300 - 1000 mm



MR-BT2P R

Pivot door with fix panel for bathtub

↔ 500 - 1600 mm



A-CP3X

Three-panel sliding door for bathtub

↔ 1000 - 1800 mm





GFW1
Single-panel shower wall
↔ 300 - 1000 mm



FW1
Single-panel shower wall in Metacryl Panels
↔ 300 - 1000 mm



GFW2

Two-piece shower wall

↔ 700 - 1600 mm



FW2

Two-piece shower wall in metacryl Panels

↔ 700 - 1600 mm



GFW3 / FW3
Three-piece shower wall
↔ 700 - 1600 mm



FX3
Three-piece shower wall
↔ 700 - 1650 mm




GFW3 + GSF

Three-piece shower wall in combination with side panel in tempered safety glass
↔ 700 - 1600 mm



FW3 + SF

Three-piece shower wall in combination with side panel in Metacryl Panels
↔ 700 - 1600 mm



Product details



1 - 180° hinge:

The 180°-swinging hinge allows the screen to be folded back from the edge of the bath tub, thus enabling easy cleaning of the inner surfaces without having to step into the tub.

2 - Mounting:

The advanced technology of our adjustable wall mounting profiles by means of a telescopic screw guarantees perfect compensation.


3 - Girofix:

The innovation in assembly: the "girofix" attachment system for corner entrances. This technique simplifies installation and eliminates visible screw fastenings.

4 - Fine thread mechanism:

The entire door can be easily adjusted within the preset range by means of a fine thread mechanism with setting wheel. This means that adjustment is possible even after years.





Information
& technology


Wide range of solutions

Solutions for niches



libero 5000																
libero 4000																
libero 3000																
libero 2000																
acqua 5000															•	•
pura 5000		•	•	•	•		•	•	•	•						
multi-S 4000		•	•	•	•		•	•	•	•	•	•				
natura 4000		•		•		•				•					•	•
gallery 3000		•	•	•	•		•									
dukessa 3000															•	
vela 2000		•	•	•			•	•								
stila 2000		•					•			•					•	
prima 2000		•					•			•					•	
multi 3000																

Corner solutions



libero 5000																
libero 4000																
libero 3000																
libero 2000																
acqua 5000									•	•	•					•
pura 5000		•	•			•	•					•		•		•
multi-S 4000		•	•			•	•	•				•	•	•		•
natura 4000		•		•	•		•			•		•	•		•	•
gallery 3000		•	•			•								•		•
dukessa 3000									•							•
vela 2000		•	•			•									•	
stila 2000		•				•	•		•	•		•				•
prima 2000		•				•	•		•	•					•	•
multi 3000																

Walk-in Space solutions



libero 5000	•	•	•		•				
libero 4000			•		•	•	•	•	
libero 3000			•	•					•
libero 2000					•				
acqua 5000									
pura 5000									
multi-S 4000									
natura 4000									
gallery 3000									
dukessa 3000									
vela 2000									
stila 2000									
prima 2000									
multi 3000									

Quadrant enclosures



libero 5000					
libero 4000					
libero 3000					
libero 2000					
acqua 5000					
pura 5000			•		
multi-S 4000	•		•		
natura 4000				•	
gallery 3000			•		
dukessa 3000				•	•
vela 2000		•	•		
stila 2000				•	
prima 2000				•	•
multi 3000					

Pentagonal enclosures



libero 5000			
libero 4000			
libero 3000			
libero 2000			
acqua 5000			
pura 5000			
multi-S 4000	•	•	
natura 4000			
gallery 3000			
dukessa 3000			
vela 2000	•		
stila 2000			
prima 2000	•	•	
multi 3000			

3-sided enclosures



libero 5000								
libero 4000								
libero 3000								
libero 2000								
acqua 5000								
pura 5000								
multi-S 4000	•		•		•			
natura 4000								
gallery 3000								
dukessa 3000							•	•
vela 2000								
stila 2000								
prima 2000						•		
multi 3000			•		•		•	•

Bath-tub screens

3-sided enclosures are available on request for all models.

The highlights



Our symbols, **the Duka icons**, stand for the high quality and the safety standards of our shower enclosures, whose compliance is ensured through regular monitoring. Designed as quality features, they serve as a guide and allow for easy, immediate reference to the technical specifications in the Duka price list, Duka training materials and digital presentations. The individual symbols represent the various technical features and reflect the technical expertise of Duka.



Automatic Close & Stop

The glass doors glide smoothly along the last few centimetres into the closed or open position.



Automatic Close

Articles marked with this icon feature AC automatic close system for the "closed" position only.



Adhesive technology

This icon indicates items where the hinges and fasteners are bonded to the glass with the tried-and-tested Duka® UV adhesive technique.



"Brilliant" adhesive technology

This icon indicates items where the hinges and fasteners are glued to the glass with the new innovative Duka – brilliant UV adhesive technique.



Recessed hinge technique

Items with this icon feature hinges which are bonded to the glass with the Duka® UV adhesive system for an ultra-smooth surface.



180° hinge

The 180° hinge guarantees absolute flexibility and comfort: the shower enclosure can be opened fully towards both inside and out.



180° hinge with Automatic Close

This icon indicates items with an automatic close system - just a simple touch and the doors glide smoothly through to the closed position.



Raise/lower mechanism

Doors with this mechanism automatically rise by a few mm when opened.



Adjustable raise/lower mechanism: In addition to the raise/lower mechanism, the closure point of the movable panel can also be adjusted by selecting the locking point.



Closed slide profiles

Closed slide profiles: articles with this symbol discreetly conceal the slide technology inside the profiles, leaving only clean, elegant surfaces in view.



Aluminium profile with magnetic strip

Items with this symbol have a minimalist integrated magnetic strip made of high-quality metal. It emphasises aesthetics and elegance and allows easy maintenance as well as precise adjustment of the shower enclosure.



Magnetic edge without visible magnetic strip

Items with this symbol have a magnetic strip invisibly integrated into the profile. The captivating look eliminates a dirty edge and takes ease of care to a new level.



Magnetized, quick-release panels

Articles marked with this icon feature sliding panels fitted with power magnets and a quick-release mechanism.



Releasable sliding panels

Shower enclosures with releasable sliding panels are marked with this icon. The advantage for you: easy cleaning, even between the panels!



Ball-bearing rollers

Articles marked with this icon are fitted with sliding panels with height-adjustable, ball-bearing rollers.



Runners

Articles marked with this icon feature sliding panels with height-adjustable runners.



Infinite adjustment wheel

The entire door can be adjusted within the pre-set range by means of a fine thread wheel.



Wall compensation through adjustable safety glass

The wall compensation of 25 mm at the side and fixed panels are guaranteed by the "inner wall profile infinitely adjustable tempered glass."



Telescopic screw wall compensation

The entire door can be easily adjusted within the pre-set range by means of a telescopic screw.



"girofix" frame profile installation

The models marked with this icon feature a special "girofix-screw" to connect the profile to the wall.



Quick-release sliding panels

Shower enclosures with this icon feature sliding doors which can be released and moved independently.

Seal system



4-star

An exceptionally discreet, inconspicuous PVC seal strip is attached to the base of the glass. The inner deflector and the soft, downward-angled flaps guide the water in the right direction. Can be removed easily and quickly for cleaning or replacement!



4-star


An exceptionally discreet aluminium profile is fitted to the base of the glass together with a PVC seal insert – practically invisible, and outstandingly efficient. The water-repellent inner deflector and soft, downward-angled flaps keep the water firmly in check. The seal strip can be removed extremely quickly and easily for cleaning or replacement!




5-star

Maximum innovation and practicality, day after day! The discreet aluminium profile is UV-bonded flush to the base of the glass with no protrusion, cutting potential dirt residue to a minimum. The PVC seal insert (similarly, with no protrusion) features an inner deflector and soft, downward-angled PVC flaps. Barely visible, and timelessly beautiful, they offer outstanding performance and can be removed with the greatest of ease for cleaning or replacement if required!

Standard seal



Special seal



Please note! This seal can be applied as an alternative to the standard seal provided. Please also note that shower enclosures fitted with standard seal and integrated protection strip have been certified to EN 14428. Any alterations to this configuration may lead to reduced leakage protection!

Safety glass



A10 transparent




AQ10 transparent with white silk-screen print at the upper edge of the glass



AQB10 transparent with anthracite silk-screen print at the upper edge of the glass




ST10 satin glass



AG10 Parsol grey




C10 Cincillà




CSG10 chromium mirror glass




TS10 Privé - satinated silk-screen print in the centre of the glass



TG10 Parsol grey Privé



Methacrylate



Glasses by model line

	libero 5000	libero 4000	libero 3000	libero 2000	acqua 5000	pura 5000	multi-S 4000	natura 4000	gallery 3000	dukessa 3000	multi 3000	vela 2000	stila 2000	prima 2000
A10	●	●	●	●	●	●	●	●	●	●	●	●	●	●
AQ10²	●				●									
AQB10²	●				●									
ST10¹	●	●	●		●	●	●	●	●	●	●	●		
AG10¹	●	●	●		●	●	●	●	●					
C10		●		●			●			●	●	●	●	●
CSG10	●	●			●			●						
TS10^{1, 2, 3, 4}	●	●	●	●	●	●	●	●	●	●			●	
TG10^{1, 2}	●		●		●									
VM10^{2, 3, 4}	●	●	●	●	●	●	●	●	●				●	
VB10^{1, 2, 3, 4}	●	●	●	●	●		●						●	
B10		●	●					●						
DA4										●	●			
KA1														●

1 Note „silk-screen print upper edge glass“:

These glasses have a serigraphie on the top end of the glass with a height of about 55 mm. Using this serigraphie, the rails and the adaptors are largely hidden.

2 Colour deviation of the screen print:

Due to the nature of satin screen printing ink, the colour of this glass may vary slightly from the image.

3 Height differences:

Please note that height alterations of up to 3mm may occur in multi-panel models due to the complexity of ceramic silkscreen printing in single-item production.



Glass processing

ProCare: Duka now offers a refined glass under the name “ProCare”. The refinement is achieved by equipping the glass surface with a special coating. This is produced via an innovative magnetron process in which a metal oxide coating is applied to the glass under vacuum. Since the coating is activated via a tempering process, it remains permanently on the surface and unfolds its effectiveness there. ProCare is available for many articles - as an alternative to the proven Protect coating.

Protect: On request, duka shower enclosures are also available with PROTECT safety glass surface protection which guarantees high standards when it comes to use, clarity, transparency and cleanliness. Important: Do not use any abrasive cleaners or alkaline cleaning material.

Available in the following series:

	libero 5000	libero 4000	libero 3000	libero 2000	acqua 5000	pura 5000	multi-S 4000	natura 4000	gallery 3000	dukessa 3000	multi 3000	vela 2000	stila 2000	prima 2000
PROTECT	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PROCARE	●	●	●	●	●	●	●	●	●			●	●	

Profile colours




SIL silver matt




SHL silver high polish
CSH chrome/silver high polish



SCH black



INO inox



COP copper pearl



BRP brass pearl



BLP black pearl



WEI white



SWZ black


	libero 5000	libero 4000	libero 3000	libero 2000	acqua 5000	pura 5000	multi-S 4000	natura 4000	gallery 3000	dukessa 3000	multi 3000	vela 2000	stila 2000	prima 2000
SIL		●	●	●			●	●	●	●	●	●	●	●
SHL / CSH	●	●	●	●	●	●	●	●	●		●	●	●	●
NER / SWZ	●	●	●	●	●		●		●				● [*]	
BCO											●	●	●	● ^{***}
INO	●	● (PE 6DT + PE 6FP + PE 6ST2F)	● (6GW2F + 8GW2F)		●	●		● ^{**}						
COP		● (PE 6DT + PE 6FP + PE 6ST2F)	● (6GW2F + 8GW2F)					● ^{**}						
BRP		● (PE 6DT + PE 6FP + PE 6ST2F)	● (6GW2F + 8GW2F)					● ^{**}						
BLP		● (PE 6DT + PE 6FP + PE 6ST2F)	● (6GW2F + 8GW2F)					● ^{**}						
ColourArt						●								

^{*}with exception of CR-ST3 | CR-FT | CR-VRS4



^{**}with exception of A-VRS

^{***}with exception of solutions with code 6A

Handles



tactum K



tactum B




vita K



gallery*



Bow handle natura



Shell handle natura



pura 5000 ColourArt BCU



pura 5000 ColourArt BBR



pura 5000 ColourArt BBL



pura 5000 ColourArt MBL



pura 5000 ColourArt MWH



pura 5000 ColourArt CSH



pura 5000 ColourArt INO

Handles	Models			
	pura 5000	multi-S 4000	natura 4000	gallery 3000
pura	●			
tactum K		●		
tactum B		●		
gallery				●
vita K		○		
natura Bow handle natura			●	○
natura Shell handle natura			●	○

● = Standard handle

○ = Special handle

* The gallery handle can be installed horizontally or vertically, except for quadrant enclosures (vertical only).

Towel rail



Towel rail PHT-G

Available for libero 4000



Towel rail Bares

Available for acqua 5000, libero 5000,
natura 4000, gallery 3000, libero 3000



Towel rail Tubes

Available for multi-S 4000
and libero 4000





Service



dukafix

NEW ADHESIVE TECHNOLOGY

Duka introduces dukafix, the new installation technology for wall profiles with two-component adhesive. The new „invisible system“ has been developed to respect the essential design, lightness of form and high functionality and, above all, to make installation even easier. What characterises Duka shower enclosures is the ease of installation, which is now even better with dukafix. Available for: **multi-S 4000 new, libero 4000 and natura 4000.**

- wall mounting without dirt and noise
- no time-consuming drilling on hard wall tiles
- no risk of breakage
- no damage to sealing and pipes
- quick completion thanks to short drying times
- easy mounting and dismantling – ideal for rented flats or renovations
- unique lateral adjustment of +/- 2 mm

The kit and the mounting procedure have been designed with „ease of installation“ in mind – a unique solution on the market!



A teal background with white geometric lines, including a solid line forming a chevron shape and a dashed line below it. In the bottom left corner, there is a close-up photograph of a person's hand.

Duka Digital

SMARTER.BETTER.FASTER.

Discover the future of configuration and taking Measurements!

Duka Digital, the new digital platform from Duka, makes taking measure quicker and easier than ever before. With just a few clicks, the required measurements can be entered intuitively using self-explanatory templates - and in the shortest time! This saves valuable time and reduces possible errors to a minimum.

A configurator is also available. It presents all the products in their most varied forms with an impressive 3D representation. This gives you the possibility colours, glasses, handles and much more in order to put together your shower enclosure entirely according to your wishes.

Whether for private use, for professional use in the showroom or on the building site - with Duka Digital you are perfectly equipped and have a wide range of options to create your dream shower enclosure.

Be inspired by the future of taking measure and discover the advantages of Duka Digital!





QR-code

Every Duka shower enclosure is a beautiful addition to any bathroom that will bring you joy for years to come. If you ever have any questions about your Duka shower enclosure, you will find a **QR code** on the lower outer edge of your Duka shower enclosure. This Code includes an 8-digit number, with which we can identify your product immediately. The QR-code can be read with your smartphone or you can forward the 8-digit number to the retailer where you bought your Duka shower enclosure. Read more about it at **duka.it**. Your Duka "identity card," or ID number, can be found on the back of the guarantee which is delivered together with the product, or on the label of the packaging.





Duka Warranty

With your Duka shower enclosure you will receive a comprehensive guarantee on the product. This is explained in the guarantee document which we enclose in the product packaging. On the rear of this certificate you will find an identification number ("ID"). Your "duka" ID allows us to track the progress of the shower enclosure at the factory at any time - from order to delivery. The guarantee includes a 5 year warranty for the client and a 10-year availability guarantee for spare parts. Read more on our website www.duka.it.

5 YEAR GUARANTEE
10 YEAR AVAILABILITY GUARANTEE

Handwriting practice lines consisting of 20 horizontal dotted lines.

Blank lined paper for writing.

Handwriting practice lines consisting of 20 horizontal dotted lines.

Handwriting practice lines consisting of 20 sets of three horizontal dotted lines.

Handwriting practice lines consisting of 20 horizontal dotted lines.

Blank lined paper for writing.

Handwriting practice lines consisting of 20 horizontal dotted lines.

Handwriting practice lines consisting of 20 sets of three horizontal dotted lines.





For technical reasons, the colours shown may differ from actual colours. Duka AG reserves the right to change its products without obligation of notification or replacement at any time.

Duka AG

Duka-Straße 2, I-39042 Brixen (BZ)

Tel. +39 0472 273 100

**5 YEAR
GUARANTEE**

**10 YEAR
AVAILABILITY
GUARANTEE**

All technical specifications and detailed product information can be found on duka.it.

info@duka.it





www.duka.it

